



Internationaler Fachverband für BESA | ZVR Nr. 975047937  
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee | AUSTRIA  
Tel.: 0043 - (0)664-73152899 | E- MAIL: [info@ifvbesa.at](mailto:info@ifvbesa.at)

# BESA Expert-opinion

## to PROJECT P75 1.0





Internationaler Fachverband für BESA | ZVR Nr. 975047937  
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee | AUSTRIA  
Tel.: 0043 - (0)664-73152899 | E- MAIL: [info@ifvbesa.at](mailto:info@ifvbesa.at)

Bioenergy informative system analysis within the framework  
of the BESA seal of approval on the efficacy  
of the product „Leela Quantum Infinity Bloc“  
for „various pets“  
also referred to as „test object“ in the project



Internationaler Fachverband für BESA | ZVR Nr. 975047937  
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee | AUSTRIA  
Tel.: 0043 - (0)664-73152899 | E-MAIL: [info@ifvbesa.at](mailto:info@ifvbesa.at)

**Client:**

Firma Leela Quantum Tech, LLC  
Attn: Eleonora Goldenberg  
1421 LUISA STREET, STE G  
SANTA FEE, NM 87505  
USA

**Project participants:**

**Project leader:** Wolfgang Hans Albrecht, präsident and scientific director of the IFVBESA

**Test person:** Eva Krankl, vicepräsident and deputy scientific direktor of the IVFBESA

**Respondent (Proband):** 8 Pets as subjects with correspondingly different ages and health conditions.

Respondent 1: Cat Bubi at the age of 8 years  
Respondent 2: Cat Mia at the age of 8 years  
Respondent 3: Cat Kaspar at the age of 18 years, decrepit  
Respondent 4: Female dog Felicita at the age of 8 years  
Respondent 5: Dog (male) Samy at the age of 8 month  
Respondent 6: Horse Ducesse (gelding) at the age of 27 years, decrepit  
Respondent 7: Horse Ravelle (mare) at the age of 17 years  
Respondent 8: Goat Klara at the age of 3 years

**other participants:** none

**Project location:** Location of the IFVBESA (international professional association for bioenergetic system analysis), Hauptstraße 1, A-4861 Kammer/Schörfling am Attersee

**Date:** 26.11.2021 until 26.01.2022

**Project duration:** 61 Days



## Table of contents

	page
1. basics of the project creation	04
2. funding performance of the IFVBESA	05
2.1 Project description	
Test procedure	
3. general information - effects of the magnetic field	09
3.1 Effects of the magnetic field	
3.2 Systemic requirements	
3.3 Technical device performance	10
3.4 Measurement procedure	11
3.5 Experimental performance and interpretation	
4. expert opinion	12
4.1 Measurement significance of BESA tests	
4.1.1 Significance criteria	
4.1.2 Statistical data analysis	
4.2 Biological relevance of the measurement results and effects	14
5 Authorized summary	

## Important notes

The client has the right to use this expert opinion. Irrespective of this, this expert opinion represents intellectual property of IFVBESA as the contractor. The contractor is entitled to use this expert opinion for other purposes, if this does not violate the client's data protection and the duty of confidentiality. Apart from this, this expert opinion, with the exception of the "authorized abridged version", may not be changed or passed on in abridged form without the consent of the IFVBESA. The order for this project refers to bioenergetically measurable values and their interpretation according to the guidelines of BESA or the IFVBESA. The maintenance of the quality of the tested products as well as their regular control are the task and responsibility of the client. Investigation of the manufacture, mechanism of action or interpretations of the Client's products to third parties are not the responsibility or task of the Contractor. Video recordings may only be made with the permission of IFVBESA.



## 1. Basics of the research project creation P75 1.0

The international professional association for bioenergetic system analysis was commissioned by the company Leela Quantum Tech LLC to test or prove the effect of the test object "Leela Quantum Infinity Bloc" towards pets by means of bioenergetic system analysis (BESA). The testing took place independently of the subjective feeling of the test person.

### **Description of the „Leela Quantum Infinity Bloc“ by the client:**

A "Leela Quantum Infinity Bloc", like the Leela Quantum Bloc, is a tool and technology that contains or provides a concentrated quantum energy space in the space between the golden plates. Therefore, it can also be called a quantum energy generator or quantum space generator. It is the first device on the market that cannot be made better by using other available tools, devices or quantum energy generators. On the contrary, it can make any other device or product better because of its sophisticated energetic nature. The "Leela Quantum Infinity Bloc" is 6.5 times more powerful and faster in capacity than the Quantum Bloc.

### **What can the Infinity Bloc do/what does it help with?**

It is literally impossible to list all the areas that the "Leela Quantum Infinity Bloc" can support, optimize and/or help with. Here we list a few topics, all of which have been proven through testing, testimonials and third party studies:

- it can harmonize the energy in a house, a restaurant or a workspace
- it creates an energetic feng shui for any room in which it is placed
- it harmonizes and neutralizes EMF (3G, 4G, 5G, WiFi, microwaves, etc.)
- it neutralizes negative frequencies
- it can neutralize harmful frequencies in water and snow caused by chemtrails and other environmental influences (e.g. aluminum, zinc and various alpha and beta radiation particles)
- any object into which the "Leela Quantum Infinity Bloc" fits can be charged with pure and dynamic quantum energy
- any frequency can be copied into any object that fits into the infinity bloc. However, we recommend the "Leela Quantum Infinity Bloc" for frequency transfers. Due to the enormous strength of the "Leela Quantum Infinity Bloc", it is not so well suited for frequency transfers, although frequency transfers are possible. However, they require special attention and some basic training to do so with a "Leela Quantum Infinity Bloc".
- one can structurally enhance and optimize any product that fits into an Infinity Bloc, e.g. water, other beverages, food, groceries, and even products like tennis rackets, water bottles, etc.



- one can create one's own quantum energy and/or frequency products for oneself, one's family and/or close friends
- one can support all plants, seedlings or trees in the house and/or garden with the energy of the "Leela Quantum Infinity Bloc". Furthermore, one can use the "Leela Quantum Infinity Bloc" to use the water to water the plants or even charge their pipes or hoses, etc.
- one can perform non-commercial quantum entanglement with a "Leela Quantum Infinity Bloc". With the "Leela Quantum Infinity Bloc" it is important that the energy is not charged or transferred for too long.
- and many more applications more...

The **range of the first** "Leela Quantum Infinity Bloc" is about 1,000 meters in all directions.

### **Polarity**

There is no polarity in the "Leela Quantum Infinity Bloc". Magnets add pressure, instability and a certain type of alignment to a quantum field, so the energy of a magnet supported quantum field is a "trapped" and almost confined energy force that cannot flow freely and is constantly fighting with the magnetic field. Energetically, the field must constantly recharge itself. The instability, disharmony and energetic pressure can be felt and "seen" in such devices, and they affect everything around them.

The "Leela Quantum Infinity Bloc" is a groundbreaking new quantum energy generator that provides not only a one-dimensional quantum field, but a truly multi-dimensional quantum space, and is also very powerful. It is also not bound in any way to the Earth's magnetic fields and can therefore be considered (and energetically looks like) a quantum sun, as it radiates and transmits freely in all directions without Earth-bound flux. The "Leela Quantum Infinity Bloc" is dynamic, harmonic, always stable, and retains these properties when quantum energy concentration and consciousness/perspective levels are increased (infinity block package). Although the use of a "Leela Quantum Infinity Bloc" involves some responsibility, it should be known that the energy is always balanced and harmonious.

### **Transfer of frequencies**

Within just 10 seconds, any frequency can be copied and transferred to another object using the Leela Infinity Bloc. Literally any frequency can be copied. One can build their own library of different frequencies and/or copy a frequency of choice into an object. For example, one can copy the frequency of incense into a pendant or a t-shirt to benefit from the incense frequency while wearing the t-shirt or pendant. Another example would be to choose a Leela Quantum frequency card and copy the frequency(s) into a watch, food, glass of water, jewelry, etc.



## **Animals also benefit from the "Leela Quantum Infinity Bloc"**

Not only humans benefit from the positive effects of quantum energy. Animals can also sense the frequencies and use them very well for themselves, as long as they are tuned to their needs.

These indications should be an interpretation about the extent of the effect of the test object and an indication of its holistic, i.e. holistic, orientation. The effect of the "Leela Quantum Infinity Bloc" can thus be well achieved for the animals.

The concept of this test object should therefore be to harmonize, neutralize disturbances, problems, blockades, disharmonies in the environment of the animals and thus to replace negative states by positive states. Due to its mode of operation, the test object for the pets results in a simple and yet very effective field of application.

According to the information of the pet owners, the pets are free of diseases. Only proband 3, the tomcat Kaspar, aged 18, feels weak and suffers from a permanent enlargement of the pancreas. The gelding, subject 6, a former show horse aged 27, feels tired and partly refuses to ride because of listlessness.

## **2. Research support services of the IFVBESA - BESA reference tests**

The project P75 1.0 deals specifically with the proof of effect of the test object "Leela Quantum Infinity Bloc" - in the further test also referred to as test object, against various domestic animals, in the project referred to as test persons.

The "Leela Quantum Infinity Bloc" is tested according to the request of the client within the framework of the valid conditions of the IFVBESA for the award of quality seals. In principle, seals of approval are awarded in three categories depending on the significance of the test results, taking into account all tests of a project. For the "Leela Quantum Infinity Bloc" it is to be determined whether by its application mentioned stresses from the typical environmental influences and as a consequence in the energy system of the test persons (biological system of the animals) arising or existing disturbances, problems, blockades, disharmonies can be harmonized, neutralized and thus negative pathological conditions can be replaced by positive conditions. This will be questioned in the following commissioned tests of this project.

### **2.1 Research project description:**

The purpose of the test is to prove the functionality of the "Leela Quantum Infinity Bloc" through test results obtained by subjecting the test subjects to a BESA baseline test in a BEFORE measurement and then connecting and testing them with the test object, the corresponding "Leela Quantum Infinity Bloc", in the AFTER measurement.



- The BEFORE measurements are performed without the "Leela Quantum Infinity Bloc"
- The AFTER measurements are performed with the "Leela Quantum Infinity Bloc"

**The question** for each AFTER measurement was: "Is the "test object" suitable and able to harmonize or neutralize the thus perceived stressful effects on the organism of the animals from the BEFORE measurements"?

The correspondingly designed tests should provide information about this by comparing the BEFORE measurements without the "Leela Quantum Infinity Bloc" with the test results of the AFTER measurements to be carried out using the "Leela Quantum Infinity Bloc".

The client's concern is to determine whether the test object, the "Leela Quantum Infinity Bloc", as noted in the product description, is suitable for harmonizing the disturbances, problems, blockages, disharmonies in the meridian system of the test person (biological object - animals) resulting from the BEFORE measurements.

#### General information transmission of the test object

The information transfer takes place from the hyperspace of the test object to the hyperspace of biological objects (humans, animals, plants). From there the information reaches the reference space or the energy space via so-called interaction channels. This is a union of, among others, all organs and energy forms in the biological object. There, the information of the program can dynamically materialize and thus change current states. The changes can show themselves in the form of neutralizations or harmonizations of disturbances, the dissolution of problems, blockages and disharmonies.

#### **Conditions:**

BESA tests are performed in the premises of IFVBESA under laboratory conditions, at room temperature 20°Celsius, on natural wooden floor. In principle, the test persons are deswitcht (made testable) before the BESA tests or the test possibility is questioned with the test persons. Since the test subjects are animals, the animals are tested via a so-called surrogate (full substitute for the animals). Another human being serves as a surrogate, through which the meridian system of the animal is interrogated.

**Pos.1** BESA 1 Testing Basic (bioenergetic status) on the test subjects (animals)

**Pos.2** BESA Testing with confrontation of the test subjects (animals) with the test object, the corresponding "Leela Quantum Infinity Bloc"





**Pos.3** Evaluation of the results in the project as well as summary in a corresponding expert opinion according to the sample

### Procedure and specifications for the execution

1. **BESA-basic measurement of the test persons (animals)** at all previously determined measuring points (TING points of the surrogate) serve to determine the actual condition. The results are determined exactly according to the BESA specifications and documented via the BESA graphs.
2. **Activation of the "Leela Quantum Infinity Bloc" as a test object**
  - 2.1. When the corresponding "Leela Quantum Infinity Bloc" is **activated**, it is applied as specified by the client and thus activated in the measurement area.
  - 2.2. The test persons are brought into contact with the "Leela Quantum Infinity Bloc" by quantum entanglement. The measuring points mentioned under point 1 are measured in the same order and time duration to determine the current energy state. The results are determined exactly according to the BESA specifications and documented via the BESA graphs.

## 3. General information on BESA testing

### 3.1 Effects of the magnetic field

The human being is a kind of receiving antenna for environmental information. This is because human life depends fundamentally and exclusively on environmental information. Our organism is biologically very sensitive where natural information (fields) is located or where this natural information is subject to interactions and fluctuations. For this reason, detected informative interference fields are biologically highly relevant. **Any reduction or transformation of these disturbances (ideally to 100 percent) is biologically very important, often even vital. These informational disturbances from our environment are only compatible with life if they can be readjusted to a natural fluctuation tolerance.** Disturbances, problems, blockades, disharmonies in the biological control circuit of the human being find their causes in such disturbing information influences. Bioenergetic examinations in the meridian system of the human being therefore belong to the first choice when it comes to questioning the coherent effectiveness of, for example, products in relation to various disturbing fields and information.

### 3.2 Systemic requirements



The tests are carried out according to the specifications of the international professional association for BESA or the manual for BESA. BESA is used from a systemic, etiological and bioenergetic regulatory point of view. Systemic means that each tested parameter also represents several lower or higher levels and dimensions. Testing on a meridian, such as the lung meridian, primarily provides information about the energetic regulatory behavior within that meridian. In a subordinate sense, the readings of this meridian can provide information about the organic, muscular and emotional levels. In a superordinate sense, dimensions such as the astral plane (4th dimension) and various levels of consciousness (from the 5th dimension). Subsequently, the behavior in the structural, energetic, spiritual, craniosacral structure or dimension is also revealed. The bioenergetic measurements are made by stimulating the energetic potential within the meridians. Measurement voltages average 900 to 1400 mV (millivolts) with a measurement current between 5.5 and 11.25  $\mu\text{A}$  (microamps). The apparent ohmic resistance varies between 0 and 600 k $\Omega$  (kiloohm) during the measurement process, depending on the instantaneous, energetic state of the person being measured).

### 3.3 Technical device power

Appropriate technical device performance ensures that not only skin resistance is measured during the measurement process, but also the interaction of various factors essential for the regulation of a system. From a physiological point of view, these include ionic current changes in the subcutaneous tissue, electrical potential against the measuring current, instantaneous polarization behavior of the tissue and electrolyte shifts. In addition to the electrophysical tissue properties in the area of the measuring point, the measurement should above all provide information about the regulatory capacity of the control circuit belonging to the measuring point.

Measuring device used: BESA Easy Quick- Check

SN: E 02074N

Silberbauer laboratory; 1030 Vienna – Austria, Battery: 2xNiMH size AA; 2,6V, 300mA max.

**Measurement tolerances:** In principle, fluctuations in measured values can occur, since the machine is operated by people who could specifically have an energetic influence on the measurement results. It is currently the case that only special experts, who have been further trained by the BESA Academy, carry out such tests. The current BESA tests were personally led or performed by Mrs. Eva Krankl as vice president and deputy head of the scientific department of IFVBESA. Certain quality details already programmed in the BESA software provide additional information about when a measurement result deviates from the programmed standards or when a measurement error has occurred by the tester. Another quality feature of BESA

tests is that, as a precautionary measure against bias, each specialist must undergo an external examination for the tests. Insofar as the tests of technical (interference)



fields show incriminating measurement results, occasional measurement errors of 10 percent could be ignored for such projects. However, experience shows that devices for harmonization of technical interference fields work or they do not work. As a matter of principle, IFVBESA applies the very highest precision according to precisely defined standards in BESA testing. These standards can only be met by professionals with 1000-fold diagnostic experience. Apart from this, electromagnetic (interference) fields acting from outside and possibly influencing the measurement results can be detected by device technology and corrected accordingly.

### **3.4 Measurement procedure:**

BESA measurements are taken at "electromagnetically significant" points on the skin. These are partly classical acupuncture points as well as a number of energetically relevant and system-coupled skin areas. By means of electrophysical measurements at anatomically exactly localized skin areas, the recording of the measurement data is carried out

- of the current energetic state in the acupuncture point of the respective meridian
- der the energetic regulation dynamics in the acupuncture point or meridian and its subordinate and superordinate systems and subsystems. This concerns the organ area (subordinate level) as well as the superordinate levels and dimensions of the morphic field of the human organism.

Zur For simplified reading, the scale of BESA is divided into 100 graduation marks, where the scale reading "0 graduation marks" corresponds to a resistance above 600 kilohms and the scale reading "100 graduation marks" corresponds to a resistance of 0 ohms. The scale reading "50 graduation marks" represents 95 kilohms.

The experience of repeated measurements on healthy persons, carried out in decades, has shown that the value "50 scale divisions (sct.)" is a physiologically neutral (healthy) reference point. It is "the" outstanding and desirable measurement value and is also called the technical ZERO value.

About the acupuncture point: The anatomical structure of an acupuncture point is formed by a bundle of nerve vessels wrapped in loose connective tissue. Directly at the acupuncture point it pierces the superficial body fascia (Facia corporis superficialis = Fcs). Exactly at this point, the electrical resistance is also lower. Where no Fcs is developed (e.g. in the face, in parts of the head or at the end of the extremities), such a bundle of nerve vessels can also be detected in the acupuncture point. This also applies to the special conditions along the DuMai meridian (governor or steering vessel at the front of the body) and the RenMai meridian (conception vessel at the back of the body). There, in the point area, the nerve vessel bundles of both sides of the body are interconnected.



### 3.5 Experimental performance and interpretation

The obtained measurement signals at the acupuncture points of the meridians are an expression of the energetic events and the energetic regulation ability of the obtained environmental signals.

The presented BESA standard graphics (see the detailed project descriptions) show the respective energetic regulation behavior within the indicated meridians. The meridians belonging together in each case are represented in so-called form circles or elements. A distinction is always made between the right and the left side. In order to obtain the most differentiated illustration possible, degenerative measured values (energy deficiency) are shown in blue and overheated or inflammatory measured values (energy surplus) in yellow. Optimal measured values are shown in green (50 to 70 sct.), whereby the measured value 50 sct. is to be aimed at, because it represents a balanced regulatory behavior. Readings that show up in red indicate deeper deregulation that cannot currently be regulated by the organism. The effect of the tested product on the field or the differences of the regulatory behavior in the organism are represented or documented by differentiated measurements on the respective BESA measurement data sheets marked for this purpose.

#### BESA- legend for interpretation of BESA-measurement result

The measured value of 50 on the tested meridian represents an optimal energetic state in this organ or its subordinate and superordinate levels. Also measured values in the range of 50 to max. 70 still count as a neutral and balanced energy status. The organism is able to regulate irritations of the system (wrong environmental signals) very well.

Readings above 70 to 100 represent the inflammatory range or a so-called energy surplus in response to the irritation of the system by environmental signals corresponding to it. After reaching the maximum values, the energy state tilts into the degenerative (blue) range.

Readings from below 50 to near 0 represent the so-called degenerative measurement range or a lack of energy in response to the stimulation of the system by environmental signals corresponding to it.

Measured values represented by a so-called pointer drop of more than 3 scale lines indicate a total deregulation. The influence of certain environmental signals then leads to such strong system overloads, which can only be harmonized by corresponding new signals.

The orange readings represent a resonance of the tested substances (electronic honeycomb contents) in the respective retrieved bioenergy informative control circuits as well as in its subordinate or superordinate structures.



## 4. Gutachten

The measurement results presented in the project description P75 1.0 have shown that after application of the test object, the „**Leela Quantum Infinity Bloc**“, **all previously incriminatingly tested toxic information and energetic deregulations could be zeroed out or bioenergetically harmonized within the specified time frame.** The graphical evaluations of the BESA tests document the results in a **qualitatively comprehensible** way by means of the color-coded measured values. The measured values highlighted in green in the graphic evaluations show as quantitative effects a consistently balanced **bioenergetic regulation** in the meridians and thus in all subordinate and superordinate levels and dimensions

*Das The expert opinion thus confirms the quantitative results in that they are as follows: 1. are **metrologically significant** (meaningful) and 2. are **biologically relevant** (important or significant)*

### 4.1. Measurement significance of the BESA test`s

#### 4.1.1 Significance criteria:

The effects determined in **the BESA tests as a result** of the bioenergetic resonance behavior, show both in the area of status determination (effect from the area of existing interference fields through various toxic (environmental) information and the resulting bioenergy informative interference fields or subsequently arising body-immanent deregularities as well as after application of the test object changes that are clearly above the specified measurement tolerances. Thus, they are clearly to be classified as significant. According to the criteria of the IFVBESA, all those measurement results are considered significant that allow regulation into the green range.

According to the criteria of the IFVBESA, the BESA measurement values are to be regarded as reliable. That the criteria for the established results are fulfilled could be proven via the BESA tests in this project P75 1.0.

#### 4.1.2 Statistical data analysis

Each series of measurements may have measurement points where effects remain below the significance threshold (transition areas). A statistical analysis has the advantage of presenting an overall view of the significance of the effects. Exactly these effects are obtained for seals of approval with 4 or 5 stars. The more extensive the data, the more accurate the statistical analysis.

In the BESA tables and graphs, the statistical characteristic data of currently 640 measured values and results were mapped. As can be seen from the statistical



data and the BESA graphs, the measured values improved significantly between the BESA pre-measurements and BESA post-measurements. The effects achieved by the test object were confirmed by the BESA measurements on the nine test subjects.

## 4.2 biological relevance (importance) of measurement results and effects

In case of continuous exposure of humans and animals to toxic information (as presented in the P75 project) or toxic stress factors, the exposure is all the more severe. This is shown by the currently conducted BESA tests on the animal subjects.

*In any case, these and similar stress factors pose a serious risk to human and animal salutogenesis.*

The test object examined in this project bioenergy-informatively, the "Leela Quantum Infinity Bloc" of the company Leela Quantum Tech, LLC - could optimally neutralize the bioenergetically stressing effects and impacts.

***The decisive ability of the test object, the "Leela Quantum Infinity Bloc" to harmonize the toxic stress factors of animals tested in the project P75 1.0 or the transformation into biological information of life-promoting quality is proven by this expert opinion.***

## 5. Authorized Summary:

The BESA tests carried out by IFVBESA on the energetic and physical effectiveness of the test object, the "Leela Quantum Infinity Bloc", have clearly shown that this test object is able to neutralize or harmonize biologically significant stress factors at the acupuncture points of the animal test subjects. Via the bioenergy-informative system analysis, the effect of the above-mentioned stress factors on the animal test subjects, their meridian systems and their energy-informative-biological control circuits was scrutinized and systemically tested on the energy-informative level. The BESA tests BEFORE - AFTER show significant

changes at the tested acupuncture points at the meridian system of the test person (animals). The measurement data as well as their key figures impressively confirm on the one hand the stresses that the tested factors have on the human organism, and on the other hand clarify how the deregulating energies are transformed into body-immanent and biocompatible energies after application of the test object, the "Leela Quantum Infinity Bloc".

From a holistic point of view, it can be assumed that the positive effect on the test





subjects - animals also occurs in other animals. That the positive influence by the "Leela Quantum Infinity Bloc" is actually possible with high precision is clearly shown by this test by the BESA-PRE-AFTER-AFTER comparison against 8 different animals (test persons). All measured values improved significantly from the mostly 100% blue measuring range into the green, mostly 50 Skt. range (Skt = scale value), i.e. the range of optimal measured values. This means: an optimal regulation dynamic has taken place. Here, in the sense of the IFVBESA, one can clearly speak of an optimal, significant improvement of the body's own energy situation.

### **result**

The test subjects - animals were associated with the test object in the BESA AFTER testing. In contrast to the BESA BEFORE tests, in which the test object, the "Leela Quantum Infinity Bloc" was not used, consistently positive measurement results were found, which indicate a neutralization or harmonization that has taken place. The regulation dynamics developed into an optimal effective range.

By demonstrating the energy informative effectiveness of the test object "Leela Quantum Infinity Bloc" towards pets in this project P75 1.0, the requirements for obtaining the BESA seal of approval with 5 stars by the International Professional Association for BESA were met.