




BESA-Expert opinion

to PROJECT P74



Bioenergy informative system analysis within the framework of the
BESA seal of approval about the effectiveness
of the product "Leela Quantum DNA & Cell Protector Card"
of the company Leela Quantum Tech, LLC
for various ingredients of the Corona mRNA vaccine
also referred to as "test object" in the expert report



Internationaler Fachverband für BESA | ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee | AUSTRIA
Tel.: 0043 - (0)664-73152899 | E- MAIL: info@ifvbesa.at

Client:

Leela Quantum Tech, LLC
Attn: Eleonora Goldenberg
1421 LUISA STREET, STE G
SANTA FEE, NM 87505
USA

Project participants:

Project leader: Wolfgang Hans Albrecht, president and scientific director of the IFVBESA

Testing person: Eva Krankl, Vice president and deputy scientific director of the IFVBESA

Respondent: 7 anonymous test persons with different health conditions and age or gender.

Detail project P74 1.0 Respondent 1: woman aged 58 years, corona unvaccinated, high vitality level, was tested with digitized mRNA vaccine in correlation with specific EMSF.

Detail project P74 2.0 Respondent 2+3: The two subjects, female aged 48 years and male aged 65 years were injected with a so-called Corona mRNA vaccine.

Detail project P74 3.0 Respondent 4,5 + 6: Woman aged 64 years, man aged 61 years and woman aged 36 years, all 3 Corona unvaccinated, were tested for spike proteins and viral fragments.

Detail project P73 4.0 Respondent 7: Subject aged 80 years, 2x Corona mRNA vaccinated, was tested for the effect of the test object against spike proteins, virus fragments and graphene oxide.

other participants: none

Project location: location of IFVBESA (international professional association for bio energie information system analysis), Hauptstraße 1, A-4861 Kammer/Schörfling am Attersee

Date: 27.10.2021 until 16.11.2021

Project duration: 21 Days



Table of contents

	page
1. basics of the project creation	04
2. funding performance of the IFVBESA	05
2.1 Project description	
Test procedure	
3. general information - effects of the magnetic field	09
3.1 Effects of the magnetic field	
3.2 Systemic requirements	
3.3 Technical device performance	10
3.4 Measurement procedure	11
3.5 Experimental performance and interpretation	
4. expert opinion	12
4.1 Measurement significance of BESA tests	
4.1.1 Significance criteria	
4.1.2 Statistical data analysis	
4.2 Biological relevance of the measurement results and effects	14
5 Authorized summary	

Important notes

The client has the right to use this expert opinion. Irrespective of this, this expert opinion represents intellectual property of IFVBESA as the contractor. The contractor is entitled to use this expert opinion for other purposes, if this does not violate the client's data protection and the duty of confidentiality. Apart from this, this expert opinion, with the exception of the "authorized abridged version", may not be changed or passed on in abridged form without the consent of the IFVBESA. The order for this project refers to bioenergetically measurable values and their interpretation according to the guidelines of BESA or the IFVBESA. The maintenance of the quality of the tested products as well as their regular control are the task and responsibility of the client. Investigation of the manufacture, mechanism of action or interpretations of the Client's products to third parties are not the responsibility or task of the Contractor. Video recordings may only be made with the permission of IFVBESA.



1. Basics of the research project creation P74

The international association for bioenergetic system analysis was commissioned by the company Leela Quantum Tech LLC to test or prove the effect of the test object "Leela Quantum DNA & Cell Protector Card" by means of bioenergetic system analysis (BESA). The testing took place independently of the subjective feeling of the test person.

Description of the "Leela Quantum DNA & Cell Protector Card" by the client:

Our DNA and cells are at the heart of our physical existence, and strengthening and protecting them from potentially harmful substances, influences and external forces is key to our overall well-being. The big questions these days are: Have you been vaccinated or are you being vaccinated? Or do you want to forgo a Corona vaccination, but are concerned that you may ingest or become infected by so-called spike proteins through people who have been vaccinated with an mRNA or vector-based vaccine? In either case, you are concerned about keeping your DNA and cells pure, strong and in the best possible shape. This high power frequency set is a masterpiece that has been developed and tested by the best healers in our network together, for which we are very grateful. It is designed to energize and support body systems and performance. All subjects report that it increases vitality, clarity and well-being. While each person's response to external fields, forces and substances is unique, this set of frequencies has been shown to reduce stress and its influence. Further, the developer believes that the "Leela Quantum DNA & Cell Protector Card" as follows:

- strengthens the cells
- strengthens the DNA
- creates the awareness in the cells to be able to optimize their function in a natural way, thus building the greatest possible protection against harmful foreign substances and information

Furthermore, the company "Leela Quantum Tech, LLC" claims about tests that were carried out, that side effects caused by the mRNA vaccination on the body or in the brain could be reversed by the "Leela Quantum DNA & Cell Protector Card". Furthermore, it is assumed that these effects should also occur with other similar vaccinations or vector-like vaccinations.

- protects unvaccinated people from becoming infected by shedding
- Due to its mode of operation, it has a wide range of applications. In the case of this project, the "Leela Quantum DNA & Cell Protector Card" is used for various modern, so-called mRNA or vector-based vaccines and their effect on the human bodyinfizieren

Due to its mode of operation, it has a wide range of applications. In the case of this project, the "Leela Quantum DNA & Cell Protector Card" is used for various



modern, so-called mRNA or vector-based vaccines and their effect on the human body

2. Research Support Services of the IFVBESA - BESA Reference Tests

Due to its mode of operation, it has a wide range of applications. In the case of this project, the "Leela Quantum DNA & Cell Protector Card" was applied to various modern, so-called mRNA vaccines and their effect on the human body. The project is divided into 4 detailed projects P74 1.0 to P74 4.0. The effect of certain ingredients of a mRNA vaccine on the energetic system of the test persons was questioned.

The detailed project P74 1.0 dealt with the effectiveness of the "Leela Quantum DNA & Cell Protector Card" against various mRNA ingredients.

The detailed project P74 2.0 dealt with the efficacy of the "Leela Quantum DNA & Cell Protector Card" against stress factors caused by mRNA vaccine.

The detail project P74 3.0 dealt with the efficacy of the "Leela Quantum DNA & Cell Protector Card" against spike proteins, viral fragments and graphene oxide.

The detail project P74 4.0 dealt with the efficacy of the "Leela Quantum DNA & Cell Protector Card" against spike proteins & virus fragments.

Special attention was paid in the detail projects to spike proteins as well as virus fragments and graphene oxide, which according to scientific studies (see list of sources on page 59) are supposed to suppress the repair mechanism of DNA and thus irritate the immune system or cause autoimmune reactions. Spike proteins, virus fragments as well as graphene oxide were digitized and their effect simulated accordingly in the BESA test.

The "Leela Quantum DNA & Cell Protector Card" was tested in accordance with the client's request within the framework of the applicable IFVBESA conditions for the award of quality seals. In principle, seals of approval are awarded in three categories depending on the significance of the test results, taking into account all tests of a project. For the "Leela Quantum DNA & Cell Protector Card" it was to be determined whether by its application stresses over already mentioned stress factors such as the administered mRNA vaccine to the test person as well as possible correlations of these with certain activated EMSF and in consequence of it in the energy system of the test person (biological system) developing or existing disturbances, problems, blockades, disharmonies can be harmonized, neutralized and thus negative pathological conditions be replaced by positive conditions. This was questioned in the following commissioned tests of this project.

2.1 Research project description:



The reason for the test was to prove the functionality of the "Leela Quantum DNA & Cell Protector Card" by test results obtained by confronting the subjects with the above mentioned stress factors in order to significantly prove and compare their reactions without the "test object" and with the "test object". Subjects were sometimes exposed to and tested with the stress factors in several BEFORE measurements and were exposed to and tested with the "Leela Quantum DNA & Cell Protector Card" in addition to the stress factors in the AFTER measurement.

- The BEFORE measurements were done without the "Leela Quantum DNA & Cell Protector Card".
- The AFTER measurement was done with the "Leela Quantum DNA & Cell Protector Card".

The question for each AFTER measurement was: "Is the "test object" suitable and able to harmonize or neutralize the so perceived negative effects towards the stress factors on the organism?"

The correspondingly designed tests were to provide information about this by comparing the preliminary measurement without the "Leela Quantum DNA & Cell Protector Card" with the test results of the follow-up measurements carried out using the "Leela Quantum DNA & Cell Protector Card".

The aim of the development team of Leela Quantum Tech, LLC was to determine whether the "Leela Quantum DNA & Cell Protector Card" is suitable for harmonizing and/or neutralizing the disturbances, problems, blockages and disharmonies in the meridian system of the test subjects (biological object) resulting from the stress factors listed.

General information about the information transmission of the test object

The information transmission takes place from the hyperspace of the test object to the hyperspace of biological objects (humans, animals, plants). From there the information reaches the reference space or the energy space via so-called interaction channels from the background field. This is a union of, among others, all organs and energy forms in the biological object. There the information of the program can dynamically materialize and thus change current states. The changes can appear in the form of neutralization or harmonization of disturbances, dissolution of problems, blockages and disharmonies.

Conditions:

The BESA tests were performed on the premises of the IFVBESA under laboratory conditions, at a room temperature of 20°Celsius, on a natural wooden floor. The test persons were deswitcht (made testable) before the BESA tests or the test possibilities were questioned with the respective test person.

Procedure and specifications for the test



1. **BESA basic measurement** of the test subjects at all previously determined measurement points (TING points) serve to determine the actual condition. The results were determined exactly according to the BESA specifications and documented via the BESA graphs.
2. **the test persons** were brought into contact with the respective stress factors depending on the project, whereby the sequence discussed with the client was regarded as the specification and was adhered to accordingly. In order to be able to determine the current energy state, the measuring points mentioned under point 1 were measured in the same order and for the same duration during each test. The results were determined exactly according to the BESA specifications and documented via the BESA graphs.
3. **Activation of the "test object"**
 - 3.1. **When activating the "Leela Quantum DNA & Cell Protector Card"**, it was brought into the measurement area according to the instructions of the client.
 - 3.2. The test subjects were brought into contact with the incriminating factors. The measuring points mentioned in point 1 were measured in the same order and time duration to determine the current energy state. The results were determined exactly according to the BESA specifications and documented via the BESA graphs.

3. General information on BESA testing

3.1 Effects of the magnetic field

The human being is a kind of receiving antenna for environmental information. This is because human life depends fundamentally and exclusively on environmental information. Our organism is biologically very sensitive where natural information (fields) is located or where this natural information is subject to interactions and fluctuations. For this reason, detected informative interference fields are biologically highly relevant. **Any reduction or transformation of these disturbances (ideally to 100 percent) is biologically very important, often even vital. These informational disturbances from our environment are only compatible with life if they can be readjusted to a natural fluctuation tolerance.** Disturbances, problems, blockades, disharmonies in the biological control circuit of the human being find their causes in such disturbing information influences. Bioenergetic examinations in the meridian system of the human being therefore belong to the first choice when it comes to questioning the coherent effectiveness of, for example, products in relation to various disturbing fields and information.

3.2 Systemic requirements



The tests are carried out according to the specifications of the international professional association for BESA or the manual for BESA. BESA is used from a systemic, etiological and bioenergetic regulatory point of view. Systemic means that each tested parameter also represents several lower or higher levels and dimensions. Testing on a meridian, such as the lung meridian, primarily provides information about the energetic regulatory behavior within that meridian. In a subordinate sense, the readings of this meridian can provide information about the organic, muscular and emotional levels. In a superordinate sense, dimensions such as the astral plane (4th dimension) and various levels of consciousness (from the 5th dimension). Subsequently, the behavior in the structural, energetic, spiritual, craniosacral structure or dimension is also revealed. The bioenergetic measurements are made by stimulating the energetic potential within the meridians. Measurement voltages average 900 to 1400 mV (millivolts) with a measurement current between 5.5 and 11.25 μA (microamps). The apparent ohmic resistance varies between 0 and 600 k Ω (kiloohm) during the measurement process, depending on the instantaneous, energetic state of the person being measured).

3.3 Technical device power

Appropriate technical device performance ensures that not only skin resistance is measured during the measurement process, but also the interaction of various factors essential for the regulation of a system. From a physiological point of view, these include ionic current changes in the subcutaneous tissue, electrical potential against the measuring current, instantaneous polarization behavior of the tissue and electrolyte shifts. In addition to the electrophysical tissue properties in the area of the measuring point, the measurement should above all provide information about the regulatory capacity of the control circuit belonging to the measuring point.

Measuring device used: BESA Easy Quick- Check

SN: E 02074N

Silberbauer laboratory; 1030 Vienna - Austria, Battery: 2xNiMH size AA; 2,6V, 300mA max.

Measurement tolerances: In principle, fluctuations in measured values can occur, since the machine is operated by people who could specifically have an energetic influence on the measurement results. It is currently the case that only special experts, who have been further trained by the BESA Academy, carry out such tests. The current BESA tests were personally led or performed by Mrs. Eva Krankl as vice president and deputy head of the scientific department of IFVBESA. Certain quality details already programmed in the BESA software provide additional information about when a measurement result deviates from the programmed standards or when a measurement error has occurred by the tester. Another quality feature of BESA



tests is that, as a precautionary measure against bias, each specialist must undergo an external examination for the tests. Insofar as the tests of technical (interference) fields show incriminating measurement results, occasional measurement errors of 10 percent could be ignored for such projects. However, experience shows that devices for harmonization of technical interference fields work or they do not work. As a matter of principle, IFVBESA applies the very highest precision according to precisely defined standards in BESA testing. These standards can only be met by professionals with 1000-fold diagnostic experience. Apart from this, electromagnetic (interference) fields acting from outside and possibly influencing the measurement results can be detected by device technology and corrected accordingly.

3.4 Measurement procedure:

BESA measurements are taken at "electromagnetically significant" points on the skin. These are partly classical acupuncture points as well as a number of energetically relevant and system-coupled skin areas. By means of electrophysical measurements at anatomically exactly localized skin areas, the recording of the measurement data is carried out

- of the current energetic state in the acupuncture point of the respective meridian
- der the energetic regulation dynamics in the acupuncture point or meridian and its subordinate and superordinate systems and subsystems. This concerns the organ area (subordinate level) as well as the superordinate levels and dimensions of the morphic field of the human organism.

Zur For simplified reading, the scale of BESA is divided into 100 graduation marks, where the scale reading "0 graduation marks" corresponds to a resistance above 600 kilohms and the scale reading "100 graduation marks" corresponds to a resistance of 0 ohms. The scale reading "50 graduation marks" represents 95 kilohms.

The experience of repeated measurements on healthy persons, carried out in decades, has shown that the value "50 scale divisions (sct.)" is a physiologically neutral (healthy) reference point. It is "the" outstanding and desirable measurement value and is also called the technical ZERO value.

About the acupuncture point: The anatomical structure of an acupuncture point is formed by a bundle of nerve vessels wrapped in loose connective tissue. Directly at the acupuncture point it pierces the superficial body fascia (Facia corporis superficialis = Fcs). Exactly at this point, the electrical resistance is also lower. Where no Fcs is developed (e.g. in the face, in parts of the head or at the end of the extremities), such a bundle of nerve vessels can also be detected in the acupuncture point. This also applies to the special conditions along the DuMai meridian (governor or steering vessel at the front of the body) and the RenMai



meridian (conception vessel at the back of the body). There, in the point area, the nerve vessel bundles of both sides of the body are interconnected.

3.5 Experimental performance and interpretation

The obtained measurement signals at the acupuncture points of the meridians are an expression of the energetic events and the energetic regulation ability of the obtained environmental signals.

The presented BESA standard graphics (see the detailed project descriptions) show the respective energetic regulation behavior within the indicated meridians. The meridians belonging together in each case are represented in so-called form circles or elements. A distinction is always made between the right and the left side. In order to obtain the most differentiated illustration possible, degenerative measured values (energy deficiency) are shown in blue and overheated or inflammatory measured values (energy surplus) in yellow. Optimal measured values are shown in green (50 to 70 sct.), whereby the measured value 50 sct. is to be aimed at, because it represents a balanced regulatory behavior. Readings that show up in red indicate deeper deregulation that cannot currently be regulated by the organism. The effect of the tested product on the field or the differences of the regulatory behavior in the organism are represented or documented by differentiated measurements on the respective BESA measurement data sheets marked for this purpose.

BESA- legend for interpretation of BESA-measurement result

The measured value of 50 on the tested meridian represents an optimal energetic state in this organ or its subordinate and superordinate levels. Also measured values in the range of 50 to max. 70 still count as a neutral and balanced energy status. The organism is able to regulate irritations of the system (wrong environmental signals) very well.

Readings above 70 to 100 represent the inflammatory range or a so-called energy surplus in response to the irritation of the system by environmental signals corresponding to it. After reaching the maximum values, the energy state tilts into the degenerative (blue) range.

Readings from below 50 to near 0 represent the so-called degenerative measurement range or a lack of energy in response to the stimulation of the system by environmental signals corresponding to it.

Measured values represented by a so-called pointer drop of more than 3 scale lines indicate a total deregulation. The influence of certain environmental signals then leads to such strong system overloads, which can only be harmonized by corresponding new signals.



4. expert opinion

The measurement results presented in the project description P74 have shown that after application of the test object, the "**Leela Quantum DNA & Cell Protector Card**", **all previously incriminatingly tested toxic information and energetic deregulations could be zeroed out or bioenergetically harmonized within the specified time frame.** The graphical evaluations of the BESA tests document the results in a **qualitatively comprehensible** way by means of the color-coded measured values. The measured values highlighted in green in the graphic evaluations show as quantitative effects a consistently balanced **bioenergetic regulation** in the meridians and thus in all subordinate and superordinate levels and dimensions.

*Das The expert opinion thus confirms the quantitative results in that they are as follows: 1. are **metrologically significant** (meaningful) and 2. are **biologically relevant** (important or significant).*

4.1. Measurement significance of BESA tests.

4.1.1 Significance criteria:

The effects determined in **the BESA tests as a result** of the bioenergetic resonance behavior, show both in the area of status determination (effect from the area of existing interference fields through various toxic (environmental) information and the resulting bioenergy informative interference fields or subsequently arising body-immanent deregularities as well as after application of the test object changes that are clearly above the specified measurement tolerances. Thus, they are clearly to be classified as significant. According to the criteria of the IFVBESA, all those measurement results are considered significant that allow regulation into the green range.

According to the criteria of the IFVBESA, the BESA measurement values are to be regarded as reliable. That the criteria for the established results are fulfilled could be proven via the BESA tests in this project P74.

4.1.2 Statistical data analysis

Each series of measurements may have measurement points where effects remain below the significance threshold (transition areas). A statistical analysis has the advantage of presenting an overall view of the significance of the effects. Exactly these effects are obtained for seals of approval with 4 or 5 stars. The more extensive the data, the more accurate the statistical analysis.

In the BESA tables and graphs, the statistical characteristic data of currently 1189 measured values and results were mapped. As can be seen from the statistical



data and the BESA graphs, the measured values improved significantly between the BESA pre-measurements and BESA post-measurements. The effects achieved by the test object were confirmed by the BESA measurements on the nine test subjects.

4.2 biological relevance (importance) of measurement results and effects

In case of continuous exposure of humans to toxic information (as presented in the project P74) or toxic stress factors, the exposure becomes all the more severe. This is shown by the currently performed BESA tests on the test persons.

In any case, these and similar stress factors pose a serious risk to human salutogenesis.

The test object bioenergetically tested in this project, the "Leela Quantum DNA & Cell Protector Card" from the company Leela Quantum Tech, LLC was able to optimally neutralize the bioenergetically stressful effects and impacts.

The decisive ability of the test object, the "Leela Quantum DNA & Cell Protector Card" for the harmonization of the toxic stress factors tested in the project P74 and the conversion into biological information of life-promoting quality is proven by this expert opinion.

5. Authorized Summary:

The BESA tests carried out by IFVBESA on the energy-informative and physical effectiveness of the test object, the "Leela Quantum DNA & Cell Protector Card" have clearly shown that this is able to neutralize or harmonize biologically significant stress factors from toxic information of an mRNA vaccine in the meridians or at the acupuncture points of the test subjects. Via the bioenergy informative system analysis, the effect of the stress factors mentioned in the detailed projects on the test persons, their meridian system and their energetic-biological control circuits was questioned on the energetic level and tested systemically. The BESA tests BEFORE - AFTER show significant changes at the tested acupuncture points at the meridian system of the test persons. The measurement data as well as their key figures impressively confirm on the one hand the stresses that the tested factors cause on the human organism, and on the other hand they clarify how after the application of the test object, the "Leela Quantum DNA & Cell Protector Card", the deregulating energies are transformed into body-immanent and biocompatible energies.

From a holistic point of view, it can be assumed that the positive effect on the test subjects also occurs in other people. That the positive influence by the test object of the "Leela Quantum DNA & Cell Protector Card" is actually possible with high precision is clearly shown by this test through the BESA-PRE-AFTER-AFTER



Internationaler Fachverband für BESA | ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfing am Attersee | AUSTRIA
Tel.: 0043 - (0)664-73152899 | E- MAIL: info@ifvbesa.at

comparison. All measured values improved significantly from the mostly 100% blue measuring range to the green mostly 50 Skt. range (Skt = scale value), i.e. the range of optimal measured values.

This means: an optimal regulation dynamic has taken place. Here, in the sense of the IFVBESA, one can clearly speak of an optimal, significant improvement of the body's own energy situation.

Result:

The test persons were partially brought into contact with severe stress factors during the BESA-NACHHER testing.

In contrast to the BEFORE tests, in which the test object "Leela Quantum DNA & Cell Protector Card" was not used, consistently positive measurement results were found, indicating that neutralization or harmonization had taken place.

The regulatory dynamics developed into an optimal effective range.

By proving the energetic effectiveness of the "Leela Quantum DNA & Cell Protector Card" of the company Leela Quantum Tech, LLC, the requirement for obtaining the BESA seal of approval with 5 stars by the International Professional Association for BESA was fulfilled.