



Project P73 2.0 to BESA expert opinion

bioenergetic System analysis within the framework of the BESA seal of approval on the effectiveness of the product "Leela Quantum Jacket" for Environmental impact also referred to as "test object" in the project.



Client

Firma Leela Quantum Tech, LLC Attn: Eleonora Goldenberg 1421 LUISA STREET, STE G SANTA FEE, NM 87505 USA

Project participants	::
-----------------------------	----

Project leader:	Wolfgang Hans Albrecht, präsident and scientific director of the IFVBESA
Test person:	Eva Krankl, Vicepräsident and deputy scientific director of the IVFBESA
Respondent:	 8 anonymous subject in the (Detail) Projects P73 1.0, P73 2.0, P73 3.0 and P73 4.0. These break down as follows: 2 Respondent at P73 1.0 - EMSF 2 Respondent at P73 2.0 - for environmental impact 2 Respondent at P73 3.0 – for cytokines as inflammatory factors 2 Respondents at P73 4.0 - for hypoglycemia, nitrostress and oxidative stress
other participants:	none

Project location:

Location of the IFVBESA, Hauptstraße 1, A 4861 Kammer/Schörfling

Date: 04.01.2020 until 12.02.2021 Project duration: 39 Days



Contents

Basics of the research project creation P73	BESA- legende for the interpretation of the BESA measurement results	5
Research project description (detailed project)	Basics of the research project creation P73	6
Test procedure	Research funding services of the IFVBESA - BESA- reference tests	6
All BESA measurement at a glance	Research project description (detailed project)	7
Generell information about the test result	Test procedure	9
	All BESA measurement at a glance	34
Autorized Summary	Generell information about the test result	35
	Autorized Summary	35

Important notes:

The client owns the right to exploit this project report. Irrespective of this, this report represents intellectual property of IFVBESA as the contractor. The contractor is entitled to use this project report for other purposes if this does not violate the client's data protection or confidentiality. On the other hand, the project report, with the exception of the "authorized abridged version", may not be changed or passed on in abridged form without the consent of the IFVBESA. The order for this project refers to bioenergetically measurable values and their interpretation according to the guidelines of BESA or the IFVBESA. The maintenance of the quality of the tested products as well as their regular control is the task and responsibility of the client. Investigation of the manufacture, mechanism of action or interpretations of the Client's products to third parties is not the responsibility or task of the Contractor. Video recordings may be made only with the permission of IFVBESA.

page 4



BESA- legende for the interpretation of the BESA measurement results

The measured value of 50 on the tested meridian represents an optimal energetic state in this organ or its subordinate and superordinate levels. Also measured values in the range of 50 to max. 70 still count as a neutral and balanced energy status. The organism is able to regulate irritations of the system (wrong environmental signals) very well.

Measured values above 70 to 100 represent the inflammatory range or a so-called energy surplus as a reaction to the irritations of the system by corresponding environmental signals. After reaching the maximum values, the energy state tips into the degenerative (blue) range.

Measured values from below 50 to around 0 represent the so-called degenerative measuring range or a lack of energy as a reaction to the stimulation of the system by corresponding environmental signals.

Measured values represented by a so-called pointer drop of more than 3 scale lines indicate total deregulation. The influence of certain environmental signals then leads to such strong system overloads, which can only be brought into harmonization by corresponding new signals.

BESA key figures:

up to 0,79	very deep energetic regulatory disorder (SSD) energy deficiency
0,8 to 1,19	strong energetic regulation disturbance (SD) degeneration/energy deficiency
1,2 to 1,59	energetic regulation disorder (D) degeneration/energy deficiency
1,6 to 1,99	degenerative transition area (DÜ)
2,0 to 2,39 2,4 to 2,79	optimal regulation (OR) in the regulation (R)
2,8 to 3,19	partial inflammation = regional energy excess (PE)
from 3,2	total inflammation = strong general energy surplus (TE)



Basics of the research project creation P73

The international professional association for bioenergetic system analysis was commissioned by the company Leela Quantum Tech LLC to test or prove the effect of the test object "Leela Quantum Jacket" by means of bioenergetic system analysis (BESA). The testing took place independently of the subjective feeling of all test persons.

Description of the "Leela Quantum Bloc" by the client:

The "Leela Quantum Jacket" works:

1. through the silver in the material (high percentage of silver fibers).

- It is proven to block over 99 % of electromagnetic radiation
- It is over 99.5 % antibacterial, antiviral, antimicrobial and antifungal. This means that bacteria, viruses, etc. - once they come into contact with the Quantum T-shirt, cannot survive there.
- By just mentioned function, the "Leela Quantum Jacket" reduces and eliminates odors (sweaty T-shirt, etc.).

2. due to the quantum energy injected in the whole material, especially in the silver, the wearer also has the following advantages

- more energy
- harmonization of electrosmog also related to the whole body
- positive effect on organ functions
- etc.

By wearing the "Leela Quantum Jacket" the quantum energy can be made available to the human body and thus to the energy system in a quasi bioavailable way.

Research funding services of the IFVBESA - BESA- reference tests

General information about this project:

Although the "Leela Quantum Jacket" is primarily worn outdoors, it was important to the developer in the first step to question what effect this jacket has on the energetic system of the test person. For this reason, the effect of the jacket was tested at the beginning of this project in the laboratory of the IFVBESA. During the BESA testing, the typical EMSF of a state-of-the-art office were active. These were WLan, smart meter, computers and monitors, and smart phone.



Detailed project P73 2.0: In this project, the jacket is tested bioenergetically on test subjects under outdoor conditions for the first time. The aim is to record corresponding stress factors and to test their toxicity or to question them bioenergetically.

Due to the increasing sensitivity of people to certain environmental pollutants, the attention in this project was particularly focused on those pollutants that could be detected in the rain and in snow in BESA-VORHER tests. They not only pollute people's respiratory tracts, but can also be detected in the blood and fatty tissue. Scientists assume that they enter the cells as heavily polluting nanoparticles and also cross the blood-brain barrier into brain cells. The following stress factors were tested in this project freely as well as in correlation with EMSF.

These are oxides like aluminum oxide, barium oxide, strontium oxide as well as heavy metals like arsenic, gold, lead, mercury, silver, uranium. Furthermore, bacteria of anthrax and pneumonia (pneumococci) as well as acetylcholine chloride, E-Coli Salmonella and thorium. The previously listed stress factors are presented via digital test ampoules. EMSFs include: WLan, smart meters, monitors, and a connecting cell phone. For this project 2 subjects were selected.

The "Leela Quantum Jacket" was tested according to the requirements of the client within the framework of the applicable conditions of the IFVBESA for the award of quality seals. Depending on the significance of the test results, seals of approval are awarded in 3 categories, taking into account all tests of a project.

The client and developer of the "Leela Quantum Jacket" assumes that it is capable of neutralizing the deregulations presented by the EMSF on the test subjects and replacing the associated negative states with positive states. Whether the "Leela Quantum Jacket" is able to do this is to be questioned in the following commissioned BESA tests on the test subjects.

To the general information of the information transfer:

The information transfer takes place from the hyperspace of the test object to the hyperspace of biological objects (humans, animals, plants). From there, the information reaches the reference space or the energy space via so-called interaction channels. This is a union of, among other things, all organs and energy forms in the biological object. There, the information of the program can dynamically materialize and thus change current states. The changes can appear in the form of neutralization or harmonization of disturbances, dissolution of problems, blockages and disharmonies.

Research project description (detailed project)

The reason for the tests is to prove the functionality of the "Leela Quantum Jacket" through test results, which are to be achieved by testing the subjects for deregulations caused by the



environmental stresses already mentioned, in order to significantly prove and compare their reactions without the "Leela Quantum Jacket" and with the "Leela Quantum Jacket".

- The BEFORE measurements are made without the "Leela Quantum Jacket".

- The AFTER measurements are taken after activation by the "Leela Quantum Jacket".

The question in the AFTER measurements is: "Is the "Leela Quantum Jacket" suitable and able to neutralize the so perceived negative effects of the tested environmental stresses on the organism of the test person?"

The appropriately designed tests were to provide information about this by comparing the preliminary measurements without the "Leela Quantum Jacket" with the test results of the follow-up measurements to be carried out using the "Leela Quantum Jacket".

The aim of the development team of the company Leela Quantum Tech LLC is to determine whether the test object, the "Leela Quantum Jacket", as noted in the product description, is suitable for neutralizing the deficiency symptoms and the associated disturbances in the meridian system of the test person.

conditions:

The BESA tests are performed on the premises of the IFVBESA under laboratory conditions, at a room temperature of 20° Celsius, on a natural wooden floor. The test persons are deswitcht (made testable) before the BESA tests or the test possibilities are questioned with the respective test person.

- Pos.1 BESA Basic testing BEFORE (bioenergetic status) on all test persons
- Pos.2 BESA testing BEFORE of listed environmental stresses from corresponding test ampoules on 2 test persons
- Pos.3 BESA testing BEFORE of indicated environmental stresses and EMSF on 2 test persons
- Pos.4BESA testing AFTER of mentioned environmental stresses and EMSF in
connection with the "Leela Quantum Jacket"
- **Pos.5** Evaluation of the results in the detailed project as well as summary in the corresponding expert opinion according to the sample

Procedure and specifications for the execution

1. **BESA basic measurement of the test person** at all previously determined measurement points (TING points). This corresponds to the actual condition, so to speak. The results are determined exactly according to the BESA specifications and documented via the known BESA graphs.



2. Depending on the project, **the test person** is brought **into contact with the respective stress factors,** i.e. first environmental stress and then EMSF, whereby the sequence discussed with the client is regarded as the specification and is adhered to accordingly. In order to be able to determine the current energy state, the measuring points mentioned under point 1 are measured in the same order and for the same duration during each test. The results are determined exactly according to the BESA specifications and documented via the BESA graphs.

3. Activation the test object

To **activate the test object** or the **"Leela Quantum Jacket",** it is put on by the test persons according to the client's instructions and thus introduced into the measurement circuit. The measuring points mentioned under point 1 are measured in the same order and for the same duration in order to determine the current energy state. The results are determined exactly according to the BESA specifications and documented via the BESA graphs.

Test procedure

BESA 1 BASIC Testing BEFORE as a status

In the first step, a basic bioenergetic test (bioenergetic status) is performed on the meridian end points (TING points) of the test person.

BESA 2 Testing BEFORE – environmental impact

In the further BESA test process, the effect of the digitally displayed test ampoules is tested on the test person. The question is: How does the meridian system react? How does the energetic status change when confronted with the environmental stresses? What are the differences in each case compared to BESA 1 BASIC testing BEFORE?

BESA 3 Testing BEFORE – environmental impact and EMSF

In the further course of the BESA test, the effect of the environmental stresses is additionally tested on the subjects in correlation with the EMSF. The question is: How does the meridian system react? How does the energetic status change when confronted with the mentioned factors? What are the differences between BESA 1 BASIC testing BEFORE and BESA 2 testing AFTER?

BESA 4 Testing AFTER environmental impact and EMSF in connection with the "Leela Quantum Jacket"

In this BESA test, the environmental stresses and the EMSF from the pre-test are reactivated and tested on the test person together with the "Leela Quantum Jacket". Now the question



is: How does the meridian system of the test person react to the effect of the "Leela Quantum Jacket"?

Proband 1 BESA 1 Testing BASIC-BEFORE

BESA 1 BASIC Testing BEFORE as a status

Eva Krankl performs a basic BESA measurement on the test person. All BESA tests are performed at the TING points (40 nail fold points on the fingers and toes).

Goal: The creation of a basic test (status) as a representation of the energetic initial situation for all further BESA tests.

BESA Test evaluation P73 2.0 from **11-02-2021 at 10:31 – 10:45** (14 Minutes) page 11 and 12

result: The overall measurement result indicated energetic stress at the meridian endpoints and subsequently on the subordinate metabolic situation of the test person.


55 % in the blue area

45 % in the green area

Conclusion: As the BESA graphs and pie chart show, 55 % of the measurement results were in the blue, degenerative range (energy deficiency). As can be seen from this BESA-BASIC test, some blue measurement results are just at the 50 sct mark (green and optimal measurement value). These measurement results indicate a good initial value.



Overview of BESA measuring



BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt. T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.) D: Degeneration (< 50 Skt.)

Element: lu - sk - li - ct

0	10	20	30	40	50	60	70	80	90	100 Lung	Right	Left
		-20			50	00	70		30	Lu 1 (11.)	-	Leit
										Parenchym	63/2	47/1
0	10	20	30	40	50	60	70	80	90	100 Skin	Right	Left
										Sk 1 (1.) Lower Body	54/1	49/1
0	10	20	30	40	50	60	70	80	90	100 Large intestine	Right	Left
										Li 1 (1.) Colon transv./sigm.	52/0	53/0
0	10	20	30	40	50	60	70	80	90	100 Connective tissu	e Right	Left
										Ct 1 (1.) Abdomen	47/1	56/1
										Element: st - n	d - ps - od	

											ciement: st - n	u - ps - ou	
0	10	20	30	40	50	60	70	80	90	100 S	Stomach	Right	Left
											St 1 (45.) Pylorus/body	46/0	53/2
0	10	20	30	40	50	60	70	80	90	100	Nerves deg.	Right	Left
											Nd 1 (1.) umb./sakral.	44/0	60/1
0	10	20	30	40	50	60	70	80	90	100 F	Pancreas-spleen	Right	Left
					-						Ps 1 (1.) Eiw./w.Pulpa	53/1	55/1
0	10	20	30	40	50	60	70	80	90	100 🕻	Organ deg.	Right	Left
											Dd 1 (1.) Abdominal region	49/1	49/0
										E	Element: bl - ly	/ - ki - al	
0	10	20	30	40	50	60	70	80	90	100	Bladder	Right	Left
											BL 1 (67.) body	49/0	50/0



BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt. T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.) D: Degeneration (< 50 Skt.)

											Element: bl - ly	- ki - al	
0	10	20	30	40	50	60	70	80	90	100	Lymph	Right	Left
											Ly 1 (1.) Tons.Palat.	40/1	50/0
0	10	20	30	40	50	60	70	80	90	100	Kidney	Right	Left
											Ki 1 (11.) pelvis	52/0	50/1
0	10	20	30	40	50	60	70	80	90	100	Allergy	Right	Left
											Al 1 (1.) Lower body	45/0	49/0
											Element: ga - je	d - li - gd	
0	10	20	30	40	50	60	70	80	90	100	Gall	Right	Left
											Ga 1 (44.) Duct.choled./hep.	51/0	46/1
0	10	20	30	40	50	60	70	80	90	100	Joint deg.	Right	Left
											Jd 1 (1.) lower extremities	41/1	55/0
0	10	20	30	40	50	60	70	80	90	100	Liver	Right	Left
											Li 1 (1.) Central veins	48/0	45/0
0	10	20	30	40	50	60	70	80	90	100	Greasy deg.	Right	Left
											Gd 1 (1.) Abdomen	48/0	48/1
											Element: he - s	i	
0	10	20	30	40	50	60	70	80	90	100	Heart	Right	Left
											He 1 (9.) Pulm.sm./Aortic valves	54/0	48/1
0	10	20	30	40	50	60	70	80	90	100	Small intestine	Right	Left
											Si 1 (1.) Ileum	52/0	55/0
											Element: bc - 3	e	
0	10	20	30	40	50	60	70	80	90	100	Blood circulation	Right	Left
					-						Bc 1 (9.) SMP Arteries	47/1	45/0
0	10	20	30	40	50	60	70	80	90	100	Endocrine	Right	Left
											3e 1 (1.) Gonads/NNI	45/1	46/1



BESA 2 Testing BEFORE

BESA 2 Testing BEFORE – environmental impact

In the further course of the BESA test, the environmental stresses presented as digital test ampoules (as listed on page 7) are introduced into the measuring circuit and tested on the test person. All BESA tests are performed at the TING points (40 nail fold points on the fingers and toes).

Goal: To determine the response of the subject's meridian system within the stress factors from the environmental stress test ampoules. Determination of the differences compared to the BESA 1 test BASIC BEFORE.

BESA Test evaluation P73 2.0 from **11-02-2021 at 11:31 – 11:36** (5 Minutes) page 14 and 15

Ergebnis: The measurement result indicated heavy energetic stress at the meridian endpoints and subsequently on the subordinate metabolic situation of the test person.

92 % in the blue area


7 % in the red area

1 % in the yellow transition area

Conclusion: As the BESA graphs show, many measurement points are in the degenerative blue area (energy deficiency). However, the picture is dramatic due to the now many measured values in the red area. Here it is important to mention that the BESA 1 test BASIC BEFORE did not show any red measured values and the test person was not exposed to any previous stresses! This BESA test showed a significant deterioration of the subject's energetic situation compared to the BESA 1 test BASIC BEFORE. The red readings represent a total deregulation of these energy areas. This means that the energy system of the organism would seriously damage the test person in case of permanent influences of such or similar interference fields. For a balancing of these red readings or in other words: for a neutralization of the values the energy system needs a strong positive impulse from outside. The comparisons of the BESA graphs confirm the change and the stressful influences by the environmental influences on the test person.



Overview of BESA measuring



BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt. T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.)



D: Degeneration (< 50 Skt.)

Element: lu - sk - li - ct

Standard values: (50-70 Skt.)

0	10	20	30	40	50	60	70	80	90	100 Lung	Right	Left
										Lu 1 (11.) Parenchym	35/2	20/0
0	10	20	30	40	50	60	70	80	90	100 Skin	Right	Left
										Sk 1 (1.) Lower Body	25/2	28/1
0	10	20	30	40	50	60	70	80	90	100 Large intestin	1e Right	Left
										Li 1 (1.) Colon transv./sigm.	41/2	30/1
0	10	20	30	40	50	60	70	80	90	$_{100}$ Connective tise	sue Right	Left
										Ct 1 (1.) Abdomen	23/1	24/0

											Element: st -	nd - ps - od	
0	10	20	30	40	50	60	70	80	90	100	Stomach	Right	Left
											St 1 (45.) Pylorus/body	25/2	25/0
0	10	20	30	40	50	60	70	80	90	100	Nerves deg.	Right	Left
											Nd 1 (1.) lumb./sakral.	25/1	25/1
0	10	20	30	40	50	60	70	80	90	100	Pancreas-splee	en Right	Left
											Ps 1 (1.) Eiw./w.Pulpa	42/2	29/1
0	10	20	30	40	50	60	70	80	90	100	Organ deg.	Right	Left
											Od 1 (1.) Abdominal region	17/3 +	19/1
											Element: bl -	ly - ki - al	
0	10	20	30	40	50	60	70	80	90	100	Bladder	Right	Left
											BL 1 (67.) body	20/1	27/0

page 14



BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt. T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.) D: Degeneration (< 50 Skt.)

											Element: bl - ly	- ki - al	
0	10	20	30	40	50	60	70	80	90	100	Lymph	Right	Left
											Ly 1 (1.) Tons.Palat.	39/3 +	24/2
0	10	20	30	40	50	60	70	80	90	100	Kidney	Right	Left
											Ki 1 (11.) pelvis	17/0	24/2
0	10	20	30	40	50	60	70	80	90	100	Allergy	Right	Left
			-								Al 1 (1.) Lower body	13/0	32/4 +
											Element: ga - jo	d - li - gd	
0	10	20	30	40	50	60	70	80	90	100	Gall	Right	Left
											Ga 1 (44.) Duct.choled./hep.	26/2	32/0
0	10	20	30	40	50	60	70	80	90	100	Joint deg.	Right	Left
											Jd 1 (1.) lower extremities	28/1	33/2
0	10	20	30	40	50	60	70	80	90	100	Liver	Right	Left
											Li 1 (1.) Central veins	29/0	35/2
0	10	20	30	40	50	60	70	80	90	100	Greasy deg.	Right	Left
											Gd 1 (1.) Abdomen	21/2	30/1
											Element: he - s	i	
0	10	20	30	40	50	60	70	80	90	100	Heart	Right	Left
											He 1 (9.) Pulm.sm./Aortic valves	17/0	33/0
0	10	20	30	40	50	60	70	80	90	100	Small intestine	Right	Left
											Si 1 (1.) Ileum	24/1	33/1
											Element: bc - 3	e	
0	10	20	30	40	50	60	70	80	90	100	Blood circulation	Right	Left
											Bc 1 (9.) SMP Arteries	19/1	20/2
0	10	20	30	40	50	60	70	80	90	100	Endocrine	Right	Left
											3e 1 (1.) Gonads/NNI	15/0	15/0



BESA 3 Testing BEFORE

BESA 3 Testing BEFORE environmental impact in Correlation with the EMSF

In the further course of the BESA test, the environmental stresses presented as digital test ampoules (as listed on page 7) are introduced into the measuring circuit and the correlation with EMSF is tested on the test person. For this purpose, the EMSFs as listed on page 7 are activated. All BESA tests are performed at the TING points (40 nail fold points on the fingers and toes).

Goal: To determine the response of the meridian system on the subject within the stress factors from environmental stresses and the EMSFs. Determination of the differences compared to the BESA 1 test BASIC BEFORE and BESA 2 test BEFORE.

BESA Test evaluation P73 2.0 from **11-02-2021 at 11:39 – 11:43** (4 Minutes) page 17 and 18

result: The measurement result indicated severe energetic stress at the meridian endpoints and subsequently on the subordinate metabolic situation of the test person.


60 % in the blue area

40 % in the red area

Conclusion: As the BESA graphs show, many measurement points are in the degenerative blue area (energy deficiency). However, the picture is dramatic due to the now many measured values in the red area. Here it is important to mention that the BESA 1 test BASIC BEFORE did not show any red measured values and the test person was not exposed to any previous stresses! Once again, this measurement result confirms how much EMSF, especially in correlation with other interfering frequencies (stress factors) like in this case those from snow and rain, stress the human energetic system. This BESA test showed a significant deterioration of the subject's energetic situation compared to the BESA 1 test BASIC BEFORE and BESA 2 BEFORE. The red readings represent a total deregulation of these energy areas. This means that the energy system of the organism would seriously damage the test person in case of permanent influences of such or similar interference fields. For a balancing of these red readings or in other words: for a neutralization of the BESA graphs confirm the change and the stressing influences by the EMSF on the test person.



Overview of BESA measuring



BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt. T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.) D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)

0	10	20	30	40	50	60	70	80	90	100	Lung	Right	Left
											Lu 1 (11.) Parenchym	29/6 ++	18/0
0	10	20	30	40	50	60	70	80	90	100	Skin	Right	Left
											Sk 1 (1.) Lower Body	23/0	22/0
0	10	20	30	40	50	60	70	80	90	100	Large intestine	Right	Left
											Li 1 (1.) Colon transv./sigm.	42/8 ++	30/4 +
0	10	20	30	40	50	60	70	80	90	100	Connective tissue	Right	Left
											Ct 1 (1.) Abdomen	23/1	22/1
											Element: st - no	l - ps - od	
0	10	20	30	40	50	60	70	80	90	100	Stomach	Right	Left
											St 1 (45.) Pylorus/body	23/0	18/0
0	10	20	30	40	50	60	70	80	90	100	Nerves deg.	Right	Left
											Nd 1 (1.) lumb./sakral.	20/5 +	38/7 ++
0	10	20	30	40	50	60	70	80	90	100	Pancreas-spleen	Right	Left
											Ps 1 (1.) Eiw./w.Pulpa	31/1	19/1
0	10	20	30	40	50	60	70	80	90	100	Organ deg.	Right	Left
											Od 1 (1.) Abdominal region	17/9 ++	25/4 +
											Element: bl - ly	- ki - al	
0	10	20	30	40	50	60	70	80	90	100	Bladder	Right	Left
											BL 1 (67.) body	24/0	26/0

Element: lu - sk - li - ct

page 17

Project P73 2.0 Project report

Leela Quantum Tech LLC



BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt. T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.) D: Degeneration (< 50 Skt.)

											Element: bl - ly	- ki - al	
0	10	20	30	40	50	60	70	80	90	100	Lymph	Right	Left
				-							Ly 1 (1.) Tons.Palat.	38/15++	36/6 ++
0	10	20	30	40	50	60	70	80	90	100	Kidney	Right	Left
											Ki 1 (11.) pelvis	22/1	18/1
0	10	20	30	40	50	60	70	80	90	100	Allergy	Right	Left
											Al 1 (1.) Lower body	21/7 ++	24/0
											Element: ga - je	d - li - gd	
0	10	20	30	40	50	60	70	80	90	100	Gall	Right	Left
											Ga 1 (44.) Duct.choled./hep.	28/1	26/3 +
0	10	20	30	40	50	60	70	80	90	100	Joint deg.	Right	Left
											Jd 1 (1.) Iower extremities	26/2	19/1
0	10	20	30	40	50	60	70	80	90	100	Liver	Right	Left
											Li 1 (1.) Central veins	23/2	18/0
0	10	20	30	40	50	60	70	80	90	100	Greasy deg.	Right	Left
											Gd 1 (1.) Abdomen	17/0	19/0
											Element: he - s	i	
0	10	20	30	40	50	60	70	80	90	100	Heart	Right	Left
											He 1 (9.) Pulm.sm./Aortic valves	28/10++	29/3 +
0	10	20	30	40	50	60	70	80	90	100	Small intestine	Right	Left
											Si 1 (1.) Ileum	36/11 ++	15/1
											Element: bc - 3	e	
0	10	20	30	40	50	60	70	80	90	100	Blood circulation	Right	Left
											Bc 1 (9.) SMP Arteries	20/3 +	15/1
0	10	20	30	40	50	60	70	80	90	100	Endocrine	Right	Left
											3e 1 (1.) Gonads/NNI	18/7 ++	15/0



BESA 4 Testing AFTER

BESA 3 Testing AFTER - environmental impact and EMSF in combination with the "Leela Quantum Jacket"

In the further course of the BESA test, the environmental stresses (corresponding test ampoules) and the EMSF are activated and tested on the test person together with the "Leela Quantum Jacket". In addition, a cell phone connection is again established, and the cell phone is again located on one of the subject's thighs during BESA testing. All BESA tests are performed at the TING points (40 nail fold points on the fingers and toes).

Goal: To determine the response of the subject's meridian system when all stress factors are applied to the subject together with the "Leela Quantum Jacket"? To determine the differences compared to the BESA 1, BESA 2 and BESA 3 tests BEFORE.

BESA Test evaluation P73 2.0 from **11-02-2021 at 11:51 – 11:56** (5 Minutes) page 20 and 21


result: The measurement result shows significant improvements on the meridian endpoints or on the energetic state of the test person.

100 % in the green area

Conclusion: As the BESA graphs show, after testing the "Leela Quantum Jacket" all measurement points were in the green, optimal and neutralized range (balanced energy system). The BESA testing shows a significant improvement of the energy situation in the meridian system of the test person compared to the BESA 1 and especially the BESA 2 and BESA 3 tests BEFORE. It is shown that the "Leela Quantum Jacket" is able to give the red readings (total deregulation) detected in the BESA tests BEFORE the necessary impulse for harmonization (neutralization) into a life-supporting range. The comparisons of the BESA graphs confirm the change and resolution of the stressed (red) acupuncture points on the meridian system of the subject.



Overview of BESA measuring



BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt. T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.) D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)

0 10 20 40 50 60 70 80 90 100 Lung 30 Right Left Lu 1 (11.) Parenchym 52/1 54/1 100 Skin Right Left 0 10 20 30 40 50 70 80 90 60 Sk 1 (1.) Lower Body 56/1 51/0 0 10 20 30 40 50 60 70 80 90 100 Large intestine Right Left Li 1 (1.) Colon transv./sigm. 51/1 54/0 100 Connective tissue Right Left 0 10 20 30 40 50 60 70 80 90 Ct 1 (1.) Abdomen 52/1 52/0

											Element: st - n	d - ps - od	
0	10	20	30	40	50	60	70	80	90	100	Stomach	Right	Left
											St 1 (45.) Pylorus/body	54/0	54/0
0	10	20	30	40	50	60	70	80	90	100	Nerves deg.	Right	Left
											Nd 1 (1.) lumb./sakral.	51/1	54/0
0	10	20	30	40	50	60	70	80	90	100	Pancreas-spleen	Right	Left
											Ps 1 (1.) Eiw./w.Pulpa	54/0	55/1
0	10	20	30	40	50	60	70	80	90	100	Organ deg.	Right	Left
											Od 1 (1.) Abdominal region	51/1	51/0
											Element: bl - ly	- ki - al	
0	10	20	30	40	50	60	70	80	90	100	Bladder	Right	Left
											BL 1 (67.) body	55/1	52/0

Element: lu - sk - li - ct



BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt. T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.) D: Degeneration (< 50 Skt.)

											Element: bl - ly	- ki - al	
0	10	20	30	40	50	60	70	80	90	100	Lymph	Right	Left
											Ly 1 (1.) Tons.Palat.	50/1	52/1
0	10	20	30	40	50	60	70	80	90	100	Kidney	Right	Left
											Ki 1 (11.) pelvis	54/0	52/0
0	10	20	30	40	50	60	70	80	90	100	Allergy	Right	Left
											Al 1 (1.) Lower body	50/0	53/0
											Element: ga - jo	1 - li - gd	
0	10	20	30	40	50	60	70	80	90	100	Gall	Right	Left
											Ga 1 (44.) Duct.choled./hep.	55/1	54/0
0	10	20	30	40	50	60	70	80	90	100	Joint deg.	Right	Left
											Jd 1 (1.) lower extremities	52/0	53/0
0	10	20	30	40	50	60	70	80	90	100	Liver	Right	Left
											Li 1 (1.) Central veins	51/0	53/0
0	10	20	30	40	50	60	70	80	90	100	Greasy deg.	Right	Left
											Gd 1 (1.) Abdomen	51/1	55/0
											Element: he - s	i	
0	10	20	30	40	50	60	70	80	90	100	Heart	Right	Left
											He 1 (9.) Pulm.sm./Aortic valves	51/0	54/1
0	10	20	30	40	50	60	70	80	90	100	Small intestine	Right	Left
											Si 1 (1.) Ileum	53/0	54/0
_											Element: bc - 3	e	
0	10	20	30	40	50	60	70	80	90	100	Blood circulation	Right	Left
											Bc 1 (9.) SMP Arteries	50/1	52/0
0	10	20	30	40	50	60	70	80	90	100	Endocrine	Right	Left
											3e 1 (1.) Gonads/NNI	50/0	51/0



Proband 2 BESA 1 Testing BASIC-BEFORE

BESA 1 BASIC Testing BEFORE as a status

Eva Krankl performs a BESA basic measurement on the test person. All BESA tests are performed at the TING points (40 nail fold points on the fingers and toes).

Goal: The creation of a basic test (status) as a representation of the energetic initial situation for all further BESA tests.

BESA Test evaluation P73 2.0 from **11-02-2021 at 17:47 – 17:59** (12 Minutes) page 23 and 24


result: The overall measurement result indicated deep energetic stress at the meridian endpoints and subsequently on the subordinate metabolic situation of the test person.

- 92 % in the blue area
- 5 % in the green area
- 2 % in the red area
- 1 % in the yellow transition area

Conclusion: As the BESA graphs and the pie chart show, 92% of the measurement results were in the blue, degenerative range (energy deficiency).



Overview of BESA measuring



BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.) D: Degeneration (< 50 Skt.)

Element: lu - sk - li - ct

Standard values: (50-70 Skt.)

0	10	20	30	40	50	60	70	80	90	100 Lung	Right	Left
										Lu 1 (11.) Parenchym	35/2	41/2
0	10	20	30	40	50	60	70	80	90	100 Skin	Right	Left
										Sk 1 (1.) Lower Body	24/0	35/1
0	10	20	30	40	50	60	70	80	90	100 Large intestine	e Right	Left
										Li 1 (1.) Colon transv./sigm.	33/0	51/1
0	10	20	30	40	50	60	70	80	90	$_{100}$ Connective tissu	ue Right	Left
										Ct 1 (1.) Abdomen	29/0	25/1
										Element: st - r	nd - ps - od	

											Element: st - n	a - ps - oa	
0	10	20	30	40	50	60	70	80	90	100	Stomach	Right	Left
											St 1 (45.) Pylorus/body	29/0	45/0
0	10	20	30	40	50	60	70	80	90	100	Nerves deg.	Right	Left
											Nd 1 (1.) lumb./sakral.	41/0	41/0
0	10	20	30	40	50	60	70	80	90	100	Pancreas-spleen	Right	Left
											Ps 1 (1.) Eiw./w.Pulpa	24/1	22/0
0	10	20	30	40	50	60	70	80	90	100	Organ deg.	Right	Left
											Od 1 (1.) Abdominal region	36/1	42/1
											Element: bl - ly	/ - ki - al	
0	10	20	30	40	50	60	70	80	90	100	Bladder	Right	Left
											BL 1 (67.) body	48/0	38/0

page 23

Project P73 2.0 Project report

Leela Quantum Tech LLC



BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt. T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.) D: Degeneration (< 50 Skt.)

											Element: bl - ly	- ki - al	
0	10	20	30	40	50	60	70	80	90	100	Lymph	Right	Left
											Ly 1 (1.) Tons.Palat.	32/1	46/1
0	10	20	30	40	50	60	70	80	90	100	Kidney	Right	Left
											Ki 1 (11.) pelvis	36/0	32/0
0	10	20	30	40	50	60	70	80	90	100	Allergy	Right	Left
											Al 1 (1.) Lower body	25/1	29/0
											Element: ga - jo	l - li - gd	
0	10	20	30	40	50	60	70	80	90	100	Gall	Right	Left
											Ga 1 (44.) Duct.choled./hep.	28/1	42/1
0	10	20	30	40	50	60	70	80	90	100	Joint deg.	Right	Left
											Jd 1 (1.) lower extremities	28/0	27/1
0	10	20	30	40	50	60	70	80	90	100	Liver	Right	Left
											Li 1 (1.) Central veins	49/0	42/2
0	10	20	30	40	50	60	70	80	90	100	Greasy deg.	Right	Left
											Gd 1 (1.) Abdomen	32/1	43/1
_											Element: he - s	i	
0	10	20	30	40	50	60	70	80	90	100	Heart	Right	Left
											He 1 (9.) Pulm.sm./Aortic valves	31/0	34/1
0	10	20	30	40	50	60	70	80	90	100	Small intestine	Right	Left
											Si 1 (1.) Ileum	25/2	35/1
											Element: bc - 3	e	
0	10	20	30	40	50	60	70	80	90	100	Blood circulation	Right	Left
											Bc 1 (9.) SMP Arteries	31/0	53/2
0	10	20	30	40	50	60	70	80	90	100	Endocrine	Right	Left
											3e 1 (1.) Gonads/NNI	33/1	31/3 +



BESA 2 Testing BEFORE

BESA 2 Testing BEFORE – environmental impact

In the further course of the BESA test, the environmental stresses presented as digital test ampoules (as listed on page 7) are introduced into the measuring circuit and tested on the test person. All BESA tests are performed at the TING points (40 nail fold points on the fingers and toes).

Goal: To determine the response of the subject's meridian system within the stress factors from the environmental stress test ampoules. Determination of the differences compared to the BESA 1 test BASIC BEFORE.

BESA Test evaluation P73 2.0 from **11-02-2021 at 18:00 – 18:05** (5 Minutes) page 26 and 27

result: The measurement result indicated heavy energetic stress at the meridian endpoints and subsequently on the subordinate metabolic situation of the test person.


80 % in the blue area

20 % in the red area

Conclusion: As the BESA graphs show, many measurement points are in the degenerative blue area (energy deficiency). However, the picture is dramatic due to the now many measured values in the red area. Here it is important to mention that the test person was not exposed to any previous stresses! This BESA test showed a significant deterioration of the energetic situation of the test person compared to the BESA 1 test BASIC BEFORE. The red readings represent a total deregulation of these energy areas. This means that the energy system of the organism would seriously damage the test person in case of permanent influences of such or similar interference fields. For a balancing of these red readings or, in other words, for a neutralization of the values, the energy system needs a strong positive impulse from outside. The comparisons of the BESA graphs confirm the change and the stressful influences by the environmental influences on the test person.



Overview of BESA measuring



BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt. T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)

Element: lu - sk - li - ct

Standard values: (50-70 Skt.)

0	10	20	30	40	50	60	70	80	90	100 Lung	Right	Left
										Lu 1 (11.) Parenchym	33/1	21/1
0	10	20	30	40	50	60	70	80	90	100 Skin	Right	Left
										Sk 1 (1.) Lower Body	13/1	23/0
0	10	20	30	40	50	60	70	80	90	100 Large intestine	Right	Left
	I									Li 1 (1.) Colon transv./sigm.	21/2	10/1
0	10	20	30	40	50	60	70	80	90	100 Connective tissue	Right	Left
										Ct 1 (1.) Abdomen	14/1	25/1

											Element: st -	nd - ps - od	
0	10	20	30	40	50	60	70	80	90	100	Stomach	Right	Left
											St 1 (45.) Pylorus/body	17/2	18/0
0	10	20	30	40	50	60	70	80	90	100	Nerves deg.	Right	Left
											Nd 1 (1.) lumb./sakral.	17/0	22/1
C	10	20	30	40	50	60	70	80	90	100	Pancreas-splee	n Right	Left
											Ps 1 (1.) Eiw./w.Pulpa	13/0	8/0
0	10	20	30	40	50	60	70	80	90	100	Organ deg.	Right	Left
											Od 1 (1.) Abdominal region	31/2	10/0
											Element: bl -	ly - ki - al	
0	10	20	30	40	50	60	70	80	90	100	Bladder	Right	Left
											BL 1 (67.) body	37/1	23/1

Project P73 2.0 Project report

Leela Quantum Tech LLC



BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt. T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.) D: Degeneration (< 50 Skt.)

											Element: bl - ly	- ki - al	
0	10	20	30	40	50	60	70	80	90	100	Lymph	Right	Left
											Ly 1 (1.) Tons.Palat.	30/1	21/4 +
0	10	20	30	40	50	60	70	80	90	100	Kidney	Right	Left
											Ki 1 (11.) pelvis	26/0	18/1
0	10	20	30	40	50	60	70	80	90	100	Allergy	Right	Left
											Al 1 (1.) Lower body	30/1	10/1
											Element: ga - jo	l - li - gd	
0	10	20	30	40	50	60	70	80	90	100	Gall	Right	Left
											Ga 1 (44.) Duct.choled./hep.	20/2	32/3 +
0	10	20	30	40	50	60	70	80	90	100	Joint deg.	Right	Left
											Jd 1 (1.) lower extremities	18/0	33/2
0	10	20	30	40	50	60	70	80	90	100	Liver	Right	Left
											Li 1 (1.) Central veins	24/2	25/0
0	10	20	30	40	50	60	70	80	90	100	Greasy deg.	Right	Left
											Gd 1 (1.) Abdomen	19/1	14/1
											Element: he - si	i	
0	10	20	30	40	50	60	70	80	90	100	Heart	Right	Left
											He 1 (9.) Pulm.sm./Aortic valves	31/6 ++	9/1
0	10	20	30	40	50	60	70	80	90	100	Small intestine	Right	Left
					8						Si 1 (1.) Ileum	28/5 +	43/3 +
											Element: bc - 3	e	
0	10	20	30	40	50	60	70	80	90	100	Blood circulation	Right	Left
											Bc 1 (9.) SMP Arteries	36/2	45/7 ++
0	10	20	30	40	50	60	70	80	90	100	Endocrine	Right	Left
											3e 1 (1.) Gonads/NNI	36/5 +	22/3 +



BESA 3 Testing BEFORE

BESA 3 Testing BEFORE environmental impact in Correlation with EMSF

In the further course of the BESA test, the environmental stresses presented as digital test ampoules (as listed on page 7) are introduced into the measuring circuit and the correlation with EMSF is tested on the test person. For this purpose, the EMSFs as listed on page 7 are activated. All BESA tests are performed at the TING points (40 nail fold points on the fingers and toes).

Goal: To determine the response of the meridian system on the subject within the stress factors from environmental stresses and the EMSFs. Determination of the differences compared to the BESA 1 test BASIC BEFORE and BESA 2 test BEFORE.

BESA Test evaluation P73 2.0 from **11-02-2021 at 18:05 – 18:13** (8 Minute) page 29 and 30

result: The measurement result indicated even deeper or heavier energetic stresses at the meridian endpoints and subsequently on the subordinate metabolic situation of the test person.

57 % in the blue area


42 % in the red area

1 % in the yellow transition area

Conclusion: As the BESA graphs show, many measurement points are in the degenerative blue area (energy deficiency). However, the picture is dramatic due to the further deterioration of the energetic situation. It is actually almost a mirror image of the test person before and shows again how much EMSF, especially in correlation with other disturbance frequencies (stress factors) stress the energetic system of the human being. This BESA test confirms a significant deterioration of the energetic situation compared to the BESA 1 BASIC BEFORE, BESA 2 and BESA 3 test BEFORE. The red readings represent a total deregulation of these energy areas. This means that the energy system of the organism would seriously damage the test person in case of permanent influences of such or similar interference fields. For a balancing of these red readings or, in other words, for a neutralization of the values, the energy system needs a strong positive impulse from outside. The comparisons of the BESA graphs confirm the change and the stressing influences on the test person.



Overview of BESA measuring



BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt. T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.) D: Degeneration (< 50 Skt.)

Element: lu - sk - li - ct

Standard values: (50-70 Skt.)

0	10	20	30	40	50	60	70	80	90	100	Lung	Right	Left
				į							Lu 1 (11.) Parenchym	26/2	18/4 +
0	10	20	30	40	50	60	70	80	90	100	Skin	Right	Left
											Sk 1 (1.) Lower Body	16/0	27/5 +
0	10	20	30	40	50	60	70	80	90	100	Large intestine	Right	Left
											Li 1 (1.) Colon transv./sigm.	20/2	20/4 +
0	10	20	30	40	50	60	70	80	90	100	Connective tissue	Right	Left
											Ct 1 (1.) Abdomen	22/3 +	28/2
											Element: st - nd	- ps - od	

											Liement. St - In	u - p3 - ou	
0	10	20	30	40	50	60	70	80	90	100	Stomach	Right	Left
											St 1 (45.) Pylorus/body	34/4 +	15/0
0	10	20	30	40	50	60	70	80	90	100	Nerves deg.	Right	Left
				-							Nd 1 (1.) lumb./sakral.	20/5 +	14/2
0	10	20	30	40	50	60	70	80	90	100	Pancreas-spleen	Right	Left
		I.									Ps 1 (1.) Eiw./w.Pulpa	20/1	12/0
0	10	20	30	40	50	60	70	80	90	100	Organ deg.	Right	Left
											Od 1 (1.) Abdominal region	33/6 ++	11/1
											Element: bl - ly	- ki - al	
0	10	20	20	40	50	60	70	80	00	100	Bladder	Pight	Loft

						Elementi bi	iy ki di	
0	10					100 Bladder	Right	Left
						BL 1 (67.) body	24/0	25/1

Project P73 2.0 Project report

Leela Quantum Tech LLC



BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt. T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.) D: Degeneration (< 50 Skt.)

										Element: bl - ly	- ki - al	
0	10	20	30	40	50	60	70	80	90	100 Lymph	Right	Left
										Ly 1 (1.) Tons.Palat.	32/2	32/6 ++
0	10	20	30	40	50	60	70	80	90	100 Kidney	Right	Left
										Ki 1 (11.) pelvis	23/1	12/0
0	10	20	30	40	50	60	70	80	90	100 Allergy	Right	Left
			_							Al 1 (1.) Lower body	18/1	26/7 ++
_										Element: ga - jo	l - li - gd	
0	10	20	30	40	50	60	70	80	90	100 Gall	Right	Left
										Ga 1 (44.) Duct.choled./hep.	16/0	15/0
0	10	20	30	40	50	60	70	80	90	100 Joint deg.	Right	Left
										Jd 1 (1.) lower extremities	30/5 +	27/2
0	10	20	30	40	50	60	70	80	90	100 Liver	Right	Left
										Li 1 (1.) Central veins	37/5 +	17/1
0	10	20	30	40	50	60	70	80	90	100 Greasy deg.	Right	Left
										Gd 1 (1.) Abdomen	18/0	13/1
										Element: he - si		
0	10	20	30	40	50	60	70	80	90	100 Heart	Right	Left
										He 1 (9.) Pulm.sm./Aortic valves	21/6 ++	14/5 +
0	10	20	30	40	50	60	70	80	90	100 Small intestine	Right	Left
										Si 1 (1.) Ileum	11/3 +	31/6 ++
										Element: bc - 3	9	
0	10	20	30	40	50	60	70	80	90	100 Blood circulation	Right	Left
										Bc 1 (9.) SMP Arteries	17/1	29/3 +
0	10	20	30	40	50	60	70	80	90	100 Endocrine	Right	Left
										3e 1 (1.) Gonads/NNI	25/4 +	8/1



BESA 4 Testing AFTER

BESA 3 Testing AFTER – environmental impact and EMSF in Combination with the "Leela Quantum Jacket"

In the further course of the BESA test, the environmental stresses (corresponding test ampoules) and the EMSF are activated and tested on the test person together with the "Leela Quantum Jacket". In addition, a cell phone connection is again established, and the cell phone is again located on one of the subject's thighs during BESA testing. All BESA tests are performed at the TING points (40 nail fold points on the fingers and toes).

Goal: To determine the response of the subject's meridian system when all stress factors are applied to the subject together with the "Leela Quantum Jacket"? To determine the differences compared to the BESA 1, BESA 2 and BESA 3 tests BEFORE.

BESA Test evaluation P73 2.0 from **11-02-2021 at 18:14 – 18:22** (8 Minutes) page 32 and 33


result: The measurement result shows significant improvements on the meridian endpoints or on the energetic state of the test person.

100 % in the green area

Conclusion: As the BESA graphs show, after testing the "Leela Quantum Jacket" all measurement points were in the green, optimal and neutralized range (balanced energy system). The BESA testing shows a significant improvement of the energy situation in the meridian system of the test person compared to the BESA 1 and especially the BESA 2 and BESA 3 tests BEFORE. It is shown that the "Leela Quantum Jacket" is able to give the red readings (total deregulation) detected in the BESA tests BEFORE the necessary impulse for harmonization (neutralization) into a life-supporting range. The comparisons of the BESA graphs confirm the change and resolution of the stressed (red) acupuncture points on the meridian system of the subject.



Overview of BESA measuring



BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt. T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.) D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)

Element: lu - sk - li - ct

0	10	20	30	40	50	60	70	80	90	₁₀₀ Lung	Right	Left
										Lu 1 (11.) Parenchym	50/1	53/2
0	10	20	30	40	50	60	70	80	90	₁₀₀ Skin	Right	Left
										Sk 1 (1.) Lower Body	53/1	54/0
0	10	20	30	40	50	60	70	80	90	100 Large intestin	e Right	Left
					_	•				Li 1 (1.) Colon transv./sigm.	54/1	56/2
0	10	20	30	40	50	60	70	80	90	100 Connective tiss	ue Right	Left
										Ct 1 (1.) Abdomen	50/2	52/1

											Element: st - nd - ps - od			
0	10	20	30	40	50	60	70	80	90	100	Stomach	Right	Left	
					7						St 1 (45.) Pylorus/body	57/1	53/1	
0	10	20	30	40	50	60	70	80	90	100	Nerves deg.	Right	Left	
											Nd 1 (1.) lumb./sakral.	50/0	50/2	
0	10	20	30	40	50	60	70	80	90	100	Pancreas-spleer	Right	Left	
											Ps 1 (1.) Eiw./w.Pulpa	51/1	56/1	
0	10	20	30	40	50	60	70	80	90	100	Organ deg.	Right	Left	
											Od 1 (1.) Abdominal region	50/0	52/2	
											Element: bl - ly	/ - ki - al		
0	10	20	30	40	50	60	70	80	90	100	Bladder	Right	Left	
					_						BL 1 (67.) body	57/1	55/0	




BESA basic test

+++: Indicator decline > 15 Skt. ++: Indicator decline 6-15 Skt. +: Indicator decline 3-5 Skt. T: Total inflammation (>89 Skt.) P: Partial inflammation (70-89 Skt.) D: Degeneration (< 50 Skt.)

											Element: bl - ly	- ki - al	
0	10	20	30	40	50	60	70	80	90	100	Lymph	Right	Left
											Ly 1 (1.) Tons.Palat.	51/0	50/0
0	10	20	30	40	50	60	70	80	90	100	Kidney	Right	Left
											Ki 1 (11.) pelvis	54/0	52/0
0	10	20	30	40	50	60	70	80	90	100	Allergy	Right	Left
											Al 1 (1.) Lower body	51/1	52/1
											Element: ga - jo	d - li - gd	
0	10	20	30	40	50	60	70	80	90	100	Gall	Right	Left
											Ga 1 (44.) Duct.choled./hep.	51/0	54/0
0	10	20	30	40	50	60	70	80	90	100	Joint deg.	Right	Left
											Jd 1 (1.) Iower extremities	57/1	53/0
0	10	20	30	40	50	60	70	80	90	100	Liver	Right	Left
											Li 1 (1.) Central veins	55/0	54/0
0	10	20	30	40	50	60	70	80	90	100	Greasy deg.	Right	Left
											Gd 1 (1.) Abdomen	54/1	57/1
_											Element: he - s	i	
0	10	20	30	40	50	60	70	80	90	100	Heart	Right	Left
											He 1 (9.) Pulm.sm./Aortic valves	50/0	51/1
0	10	20	30	40	50	60	70	80	90	100	Small intestine	Right	Left
											Si 1 (1.) Ileum	53/1	53/1
_											Element: bc - 3	e	
0	10	20	30	40	50	60	70	80	90	100	Blood circulation	Right	Left
											Bc 1 (9.) SMP Arteries	51/1	51/2
0	10	20	30	40	50	60	70	80	90	100	Endocrine	Right	Left
											3e 1 (1.) Gonads/NNI	52/2	53/2



All BESA measurement at a glance





Generell information about the test result

The human being or all biological objects represent a kind of receiving antenna for environmental information. This is because the life of man and all other biological objects depends fundamentally and exclusively on environmental information. Our organism is biologically very sensitive where natural information (fields) are located or where they are subject to interactions and fluctuations. For this reason, detected informative electromagnetic interference fields are biologically highly relevant. Any reduction or transformation of these interfering fields (ideally to 100 percent) is biologically very important, often even decisive for life.

These informational disturbances from our environment are only compatible with life if they can be readjusted to a natural fluctuation tolerance. Disturbances, problems, blockades, disharmonies in the biological control circuit of man find their causes in such disturbing information influences.

Neutralizing or harmonizing effects could be proven in this detailed project P73 2.0 to determine the effect of the "Leela Quantum Jacket".

The "Leela Quantum Jacket" was able to neutralize the biologically adverse effects and effects determined on the test person in the project.

The significant ability of the "Leela Quantum Jacket" to neutralize and harmonize the stress factors tested in this detailed project P73 2.0 and transform them into biological life-enhancing goodness is proven with this project.

Autorized Summary

The BESA tests carried out by IFVBESA on the energetic and physical effectiveness of the "Leela Quantum Jacket" have clearly shown that it is able to neutralize or harmonize biologically significant stress factors on the energetic system of the test person. By means of the bioenergetic system analysis, the effect of the above-mentioned stress factors on the test persons, their meridian system and their energetic-biological control circuits was questioned and systemically tested on the bioenergetic level. The BESA tests BEFORE - AFTER show significant changes at the tested acupuncture points or at the meridian system. The measurement data as well as their key figures impressively confirm, on the one hand, the stress caused by the tested interference fields on the organism of the test persons and, on the other hand, clarify how, after application of the "Leela Quantum Jacket", the deregulating energies are transformed into body-immanent and biocompatible energies. All measured values improved significantly from the mostly 100-percent blue measuring range to the green

page 35



mostly 50-second range (scale value), i.e. the range of optimal measured values. This means: an optimal regulation dynamic has taken place. Here, in the sense of the IFVBESA, one can clearly speak of an optimal, significant improvement of the body's own energy situation.

Result: During the BESA-AFTER tests, the test persons were brought into contact with severely stressing frequencies (information) from environmental stresses in correlation with EMSF (electromagnetic interference fields). In contrast to the BEFORE tests, in which the "Leela Quantum Jacket" was not used, positive measurement results were found throughout, indicating that neutralization or harmonization had taken place. The regulation dynamics developed into an optimal effective range. From a holistic point of view, it can be assumed that the positive effect on the test person will also occur in other people.

By proving the bioenergetic effectiveness of the "Leela Quantum Jacket" in this detailed project P73 2.0, the requirements for obtaining a BESA seal of approval by the International Professional Association for BESA were met.