



Internationaler Fachverband für BESA ■ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ■ AUSTRIA
Tel.: 0043 - (0)664-73152899 ■ E- MAIL: info@ifvbesa.at



SUMMARY

Before/after - representation of the
Darkfield double-blind pilot study PPX



Internationaler Fachverband für BESA ■ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ■ AUSTRIA
Tel.: 0043 - (0)664-73152899 ■ E- MAIL: info@ifvbesa.at



Representation of the values on a scale from 0-10

- **low numbers** correspond to a low or weak level of expression
- **high numerical** values correspond to a high or strong expression

Money roll formation:

low values are an expression of active/vital blood

Agglutination of erythrocytes:

low values are an expression of vital blood

flow properties of the blood:

The greater the fluidity of the blood, the more efficient is the quality of oxygen supply to the target areas areas.

Symplasts/detoxification potential:

an excessively high number of symplasts may possibly be an indication of limited detoxification

Cell membrane activity:

the higher the activity, the more pronounced the immune system vitality

Filite formation/oxidative stress:

the more harmonious the filite formation, the greater the stress tolerance.
Aadequate filite formation is an expression of harmonious cellular metabolism

cellular defense:

the more targeted, the more efficient the immune system



Internationaler Fachverband für BESA ■ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ■ AUSTRIA
Tel.: 0043 - (0)664-73152899 ■ E- MAIL: info@ifvbesa.at



Leukocyte count:

the more balanced the number of leukocytes, the more active the immune system. An increased number of leukocytes is an expression of a correspondingly strong immune defense, as well as the regular size.

Liver/spleen activity:

the stronger the more efficient

Leukocytes/immune system:

the more pronounced, the more active the immune system

Erythrocyte pairs - kidney load:

the higher the values, the greater the load on the kidney or the corresponding regulatory circuit

Monocyte-bacterial infection:


the increased number of monocytes (part of the immune system) can be an indication of a bacterial infection.

Toxic stress:

the lower the value, the lower the indication of toxic stress.

Proband P1


BEFORE AND AFTER PRESENTATION



	Before	After
Erythrocytes - Money roll formation	7	0
Filite formation-oxidative stress	9	0
Flow property of the blood	2	8
Leukocyte count	3	7
Water & oxygenation in the blood	2	8
Cell membrane vitality	3	9

Proband P2


BEFORE AND **AFTER** REPRESENTATION



	Before	After
Erythrocytes - Money roll formation	9	1
Filite formation-oxidative stress	8	2
Flow property of the blood	2	8
Leukocyte count	3	6
cellular defense	3	8
Liver spleen activity	2	9

Proband P3


BEFORE AND **AFTER** REPRESENTATION



	Before	After
▣ Erythrocyte pairs-kidney load	8	1
▣ Erythrocyte lagoon clumping	9	2
▣ Flow property of the blood	2	8
▣ Leukocyte count	2	6
▣ cellular defense	3	7
▣ Liver spleen activity	2	8

Proband P4


BEFORE AND AFTER PRESENTATION



	Before	After
■ Erythrocyte Money Roll Formation	7	1
■ Filite formation-oxidative stress	6	2
■ Flow property of the blood	1	8
■ parasitic load	7	2
■ Water & Oxygen Deficiency	8	3
■ Protein clumping-kidney stress	8	4

Proband P5


BEFORE AND AFTER PRESENTATION



	Before	After
■ Erythrocyte Money Roll Formation	7	0
■ Filite formation-oxidative stress	6	2
■ Signs of inflammation/allergies	8	0
■ Triglycerides	7	1
■ Liver spleen weakness	8	3
■ Protein clumping-kidney stress	8	4

Proband P6


BEFORE AND AFTER PRESENTATION



	Before	After
■ Erythrocyte Money Roll Formation	8	0
■ Flow property of the blood	3	8
■ Activity cell membrane	2	7
■ oxidative stress	9	2
■ Liver spleen weakness	8	1
■ Erythrocyte pairs-kidney load	8	1

Proband P7


BEVFORE AND **AFTER** PRESENTATION



	Before	After
Erythrocyte Money Roll Formation	6	0
Flow property of the blood	3	8
Immune defense	4	7
Filite formation-oxidative stress	7	2
Liver spleen weakness	8	1
Erythrocyte pairs-kidney load	8	4

Proband P8


BEFORE AND **AFTER** REPRESENTATION



	Before	After
Erythrocyte Money Roll Formation	5	0
Flow property of the blood	3	9
Immune defense	3	8
Filite formation-oxidative stress	6	1
Liver spleen weakness	5	1
Erythrocyte pairs-kidney load	8	4

Proband P9


BEFORE AND AFTER PRESENTATION



	Before	After
Erythrocyte Money Roll Formation	7	0
Flow property of the blood	2	8
Immune defense	4	8
Lagoon clumping-oxidative stress	6	0
Lemon f. Erythrocyte spleen weakness	7	1
Erythrocyte pairs-kidney load	8	1

Proband P10


BEFORE AND AFTER PRESENTATION



	Before	After
Erythrocyte Money Roll Formation	7	0
Flow property of the blood	1	8
Filite formation-oxidative stress	5	0
Lagoon agglutination-oxidative stress	8	0
Lemon f. Erythrocyte spleen weakness	7	2
Erythrocyte pairs-kidney stress	7	1

Proband P11


BEFORE AND AFTER PRESENTATION



	Before	After
Erythrocytes-money roll formation	10	0
Flow property of the blood	2	7
Filite formation-oxidative stress	6	1
Lagoon agglutination-oxidative stress	9	0
Liver stress	8	2
Erythrocyte pairs-kidney stress	7	3

Proband P12


BEFORE AND AFTER PRESENTATION



	Before	After
Erythrocytes-money roll formation	9	0
Flow property of the blood	2	6
Filite formation-oxidative stress	6	2
Lagoon agglutination-oxidative stress	10	3
Honeycomb structures-liver burden	9	2
Spleen burden	7	4

Proband P13

BEFORE AND AFTER PRESENTATION



	Before	After
Erythrocytes-money roll formation	9	0
Flow property of the blood	1	7
Erythrocyte pairs-kidney stress	6	1
Lagoon agglutination-oxidative stress	6	3
Target cells-oxygen deficiency	9	2
Lemon f. Erythrocyte spleen weakness	7	1